


## Styli for ZEISS applications



# Contents

|                                                                                        |    |
|----------------------------------------------------------------------------------------|----|
| Renishaw M5 styli, adaptors and accessories for ZEISS analogue probe systems . . . . . | 7  |
| Carbide styli . . . . .                                                                | 7  |
| Styli for ScanMax . . . . .                                                            | 9  |
| Tungsten carbide styli with silicon nitride ball . . . . .                             | 10 |
| Reference styli (red dot) . . . . .                                                    | 11 |
| Carbon fibre styli, thermostable . . . . .                                             | 12 |
| Carbon fibre styli, thermostable with silicon nitride ball. . . . .                    | 13 |
| Ceramic styli . . . . .                                                                | 14 |
| Micro ball styli . . . . .                                                             | 15 |
| Cube star. . . . .                                                                     | 16 |
| Styli for star configuration, thread length 12.5 mm . . . . .                          | 17 |
| Long threaded styli, thread length 5 mm. . . . .                                       | 18 |
| Flat washer for star styli . . . . .                                                   | 19 |
| Grooved washer for star styli. . . . .                                                 | 19 |
| Pin for star styli . . . . .                                                           | 19 |
| Styli for holder . . . . .                                                             | 20 |
| 5 way stylus holder . . . . .                                                          | 21 |
| Styli for holder 90° . . . . .                                                         | 21 |
| Angle for styli 90° . . . . .                                                          | 22 |
| Holder for swivel styli. . . . .                                                       | 22 |
| Styli for swivelling configurations. . . . .                                           | 22 |
| Spherical disc styli. . . . .                                                          | 23 |
| Spherical disc styli ScanMax. . . . .                                                  | 23 |
| Styli for thread measurement . . . . .                                                 | 24 |
| Styli pointer . . . . .                                                                | 24 |
| Star styli . . . . .                                                                   | 25 |

|                                                                                       |    |
|---------------------------------------------------------------------------------------|----|
| Spherical disc . . . . .                                                              | 26 |
| Rotary adaptor . . . . .                                                              | 26 |
| Knuckle, swing range 180° . . . . .                                                   | 27 |
| Rotary knuckle, slewing range 360°, swing range 180° . . . . .                        | 27 |
| Cube . . . . .                                                                        | 27 |
| 4-way cube . . . . .                                                                  | 28 |
| Cube with angle . . . . .                                                             | 29 |
| Double cube . . . . .                                                                 | 30 |
| Cube extension . . . . .                                                              | 30 |
| Extensions. . . . .                                                                   | 31 |
| Thread measuring gauge . . . . .                                                      | 34 |
| Screw for cube and spherical disc. . . . .                                            | 34 |
| Adaptor . . . . .                                                                     | 35 |
| Adaptor with thread/conical shaft base . . . . .                                      | 35 |
| Holder for digitilisation styli . . . . .                                             | 35 |
| Pin type spanner 2.9 . . . . .                                                        | 36 |
| Calibration sphere with stand . . . . .                                               | 36 |
| Magnet base for calibration sphere . . . . .                                          | 37 |
| Renishaw adaptor plates for ZEISS probe heads. . . . .                                | 38 |
| Adaptor plate for measuring systems VAST/MT . . . . .                                 | 38 |
| Adaptor plate for dynamic systems (ST) . . . . .                                      | 38 |
| Adaptor plate for Prismo dynamic systems (ST) . . . . .                               | 39 |
| Extension for adaptor plate . . . . .                                                 | 40 |
| Renishaw M3 styli, adaptors and accessories for ZEISS analogue probe systems. . . . . | 41 |
| Carbide styli XXT . . . . .                                                           | 41 |
| Reference styli XXT (red dot) . . . . .                                               | 42 |
| Carbon fibre styli XXT thermostable . . . . .                                         | 43 |
| Carbon fibre styli XXT thermostable with silicon nitride ball . . . . .               | 44 |

|                                                                                                         |    |
|---------------------------------------------------------------------------------------------------------|----|
| Carbon fibre clamping styli XXT thermostable . . . . .                                                  | 44 |
| Carbon fibre clamping styli XXT thermostable with silicon nitride ball . . . . .                        | 45 |
| Carbon fibre styli for 1/4 star styli XXT thermostable . . . . .                                        | 45 |
| Carbon fibre styli for 1/4 star styli carbon fibre XXT thermostable with silicon nitride ball . . . . . | 46 |
| Carbon fibre styli for 1/2 star styli XXT 90° thermostable . . . . .                                    | 46 |
| Carbon fibre styli for 1/2 star styli XXT 90° thermostable with silicon nitride ball . . . . .          | 47 |
| Carbon fibre styli for 1/2 star styli XXT 180° thermostable . . . . .                                   | 47 |
| Carbon fibre styli for 1/2 star styli XXT 180° thermostable with silicon nitride ball . . . . .         | 48 |
| Carbon fibre extension XXT . . . . .                                                                    | 48 |
| Adaptor plate VAST XXT TL1 . . . . .                                                                    | 49 |
| Reference adaptor plate VAST XXT TL1 . . . . .                                                          | 49 |
| Adaptor plate VAST XXT TL1 with star adaptor . . . . .                                                  | 49 |
| Adaptor plate for XXT TL2 . . . . .                                                                     | 50 |
| Reference adaptor plate for XXT TL2 . . . . .                                                           | 50 |
| Adaptor plate VAST XXT TL3 . . . . .                                                                    | 50 |
| Reference adaptor plate VAST XXT TL3 . . . . .                                                          | 51 |
| Adaptor plate VAST XXT TL3 star . . . . .                                                               | 51 |
| Clamping screw XXT . . . . .                                                                            | 51 |
| Clamping screw XXT with internal M3 thread . . . . .                                                    | 52 |
| Cube XXT 90°, 1-way . . . . .                                                                           | 52 |
| Cube XXT 180°, 2-way . . . . .                                                                          | 52 |
| Cube XXT star . . . . .                                                                                 | 53 |
| Cube XXT, 6-star . . . . .                                                                              | 53 |
| Cube XXT, 8-star . . . . .                                                                              | 53 |
| Knuckle XXT . . . . .                                                                                   | 54 |
| Carbide styli . . . . .                                                                                 | 55 |
| Ceramic styli . . . . .                                                                                 | 56 |
| Cylinder styli . . . . .                                                                                | 57 |

|                                                                                                             |    |
|-------------------------------------------------------------------------------------------------------------|----|
| Extension . . . . .                                                                                         | 58 |
| 5-way styli holder, rotary . . . . .                                                                        | 58 |
| Holder for styli 90° . . . . .                                                                              | 58 |
| Rotary knuckle . . . . .                                                                                    | 59 |
| Adaptor . . . . .                                                                                           | 59 |
| Renishaw tools and accessories for assembly of M2, M3 and M5 styli to ZEISS measuring probe heads . . . . . | 59 |
| Stylus tool . . . . .                                                                                       | 59 |
| Stylus assembly tool . . . . .                                                                              | 60 |
| Allen keys . . . . .                                                                                        | 60 |
| Renishaw M2 styli, adaptors and accessories for ZEISS analogue probe systems . . . . .                      | 61 |
| Carbide styli . . . . .                                                                                     | 61 |
| Ceramic styli . . . . .                                                                                     | 62 |
| Stainless steel styli . . . . .                                                                             | 63 |
| Star styli . . . . .                                                                                        | 63 |
| Styli for star configuration . . . . .                                                                      | 64 |
| Spherical disc styli. . . . .                                                                               | 64 |
| Spherical disc styli. . . . .                                                                               | 65 |
| Cylinder styli . . . . .                                                                                    | 65 |
| Extension . . . . .                                                                                         | 66 |
| 5-way styli holder, rotary . . . . .                                                                        | 66 |
| 5-way styli holder, small/large . . . . .                                                                   | 67 |
| Holder for styli 90° . . . . .                                                                              | 67 |
| Rotary knuckle . . . . .                                                                                    | 67 |
| Rotary knuckle, slewing range 360°, swing range 180° . . . . .                                              | 68 |


**NOTE:** Schematics are not shown to scale.

## Renishaw M5 styli, adaptors and accessories for ZEISS analogue probe systems

### Carbide styli

|                               |                  |
|-------------------------------|------------------|
| Thread                        | M5               |
| Base                          | Titanium         |
| Stem                          | Tungsten carbide |
| Ball diameter up to 12 mm     | Ruby             |
| Ball diameter more than 12 mm | Ceramic          |

| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-2388          | –                 | 1.0     | 10.0        | 11        | 20.0   | 0.8         | 6.0        |
| A-5555-1495          | –                 | 1.0     | 20.0        | 11        | 30.0   | 0.8         | 6.0        |
| A-5555-1679          | –                 | 1.0     | 5.0/10.0    | 11        | 20.0   | 0.8/1.0     | 6.0        |
| A-5555-1054          | –                 | 1.0     | 5.0/15.0    | 11        | 25.0   | 0.8/1.0     | 6.0        |
| A-5004-4166          | –                 | 1.0     | 5.0/20.0    | 11        | 30.0   | 0.8/1.0     | 6.0        |
| A-5003-0145          | –                 | 1.5     | 8.0/20.0    | 11        | 30.0   | 1.0/1.5     | 6.0        |
| A-5555-1077          | –                 | 2.0     | 10.0        | 11        | 20.0   | 1.0         | 6.0        |
| A-5555-1563          | –                 | 2.0     | 15.0        | 11        | 25.0   | 1.0         | 6.0        |
| A-5555-1060          | –                 | 2.0     | 20.0        | 11        | 30.0   | 1.5         | 7.0        |
| A-5555-0952          | –                 | 2.0     | 30.0        | 11        | 40.0   | 1.5         | 7.0        |
| A-5555-0018          | 602030-9010-000   | 3.0     | 15.0        | 11        | 25.0   | 2.0         | 4.0        |
| A-5555-0019          | 600342-8020-000   | 3.0     | 23.5        | 11        | 33.5   | 2.0         | 4.5        |
| A-5555-0020          | 602030-9011-000   | 3.0     | 40.0        | 11        | 50.0   | 2.0         | 5.2        |
| A-5555-0021          | 600342-8021-000   | 3.0     | 48.0        | 11        | 58.0   | 2.0         | 5.5        |
| A-5555-1508          | –                 | 3.5     | 48.0        | 11        | 58.0   | 2.0         | 6.0        |
| A-5003-7499          | –                 | 3.5     | 65.0        | 11        | 75.0   | 2.5         | 6.5        |
| A-5555-1425          | –                 | 3.5     | 85.0        | 11        | 100.0  | 2.5         | 7.0        |
| A-5555-0974          | –                 | 4.0     | 20.0        | 11        | 30.0   | 2.0         | 4.4        |
| A-5555-0022          | 600342-8025-000   | 4.0     | 23.5        | 11        | 33.5   | 2.0         | 4.5        |




| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-0023          | 602030-9012-000   | 4.0        | 54.0           | 11           | 64.0      | 2.0            | 5.9           |
| A-5555-0498          | 612030-9661-000   | 4.5        | 43.0           | 11           | 53.0      | 3.5            | 8.0           |
| A-5555-0805          | –                 | 5.0        | 20.0           | 11           | 30.0      | 3.5            | 8.0           |
| A-5555-0024          | 602030-9013-000   | 5.0        | 40.0           | 11           | 50.0      | 3.5            | 9.0           |
| A-5555-0025          | 600342-8022-000   | 5.0        | 43.0           | 11           | 53.0      | 3.5            | 9.8           |
| A-5555-0026          | 602030-9015-000   | 5.0        | 65.0           | 11           | 75.0      | 3.5            | 12.5          |
| A-5555-1271          | –                 | 5          | 90.0           | 11           | 100.0     | 3.5            | 15.0          |
| A-5555-0027          | 600342-8026-000   | 6          | 44.0           | 11           | 54.0      | 3.5            | 10.0          |
| A-5555-0028          | 600342-8027-000   | 7          | 45.0           | 11           | 55.0      | 3.5            | 10.0          |
| A-5555-0029          | 600342-8023-000   | 8          | 50.5           | 11           | 63.5      | 6.0            | 24.8          |
| A-5555-0030          | –                 | 8          | 41.5           | 19           | 63.5      | 6.0            | 36.7          |
| A-5555-0031          | –                 | 8          | 61.0           | 11           | 74.0      | 6.0            | 29.5          |
| A-5555-0032          | 602030-9016-000   | 8          | 62.0           | 11           | 75.0      | 6.0            | 30.0          |
| A-5555-0033          | 602030-9017-000   | 8          | 87.0           | 11           | 100.0     | 6.0            | 40.0          |
| A-5555-0034          | 600342-8024-000   | 8          | 101.5          | 11           | 114.5     | 6.0            | 45.8          |
| A-5555-0035          | 600342-8124-000   | 8          | 92.5           | 19           | 114.5     | 6.0            | 57.5          |
| A-5555-0946          | –                 | 8          | 137.0          | 11           | 150.0     | 6.0            | 60.0          |
| A-5555-1618          | –                 | 8          | 40.0           | 11           | 50.0      | 5.0            | 24.0          |
| A-5555-0036          | –                 | 9          | 51.5           | 11           | 64.5      | 6.0            | 26.3          |
| A-5555-0037          | 600342-8128-000   | 9          | 42.5           | 19           | 64.5      | 6.0            | 36.8          |
| A-5555-0038          | 600342-8029-000   | 10         | 52.5           | 11           | 65.5      | 6.0            | 25.8          |
| A-5555-0039          | –                 | 10         | 43.5           | 19           | 65.5      | 6.0            | 37.8          |
| A-5555-0040          | 602030-9018-000   | 10         | 105.0          | 11           | 118.0     | 6.0            | 47.3          |
| A-5555-2389          | –                 | 10         | 137.0          | 11           | 150.0     | 6.0            | 62.0          |
| A-5555-2390          | –                 | 10         | 175.0          | 11           | 200.0     | 6.0            | 75.0          |
| A-5555-2391          | –                 | 12         | 52.0           | 11           | 65.5      | 6.0            | 28.0          |
| A-5555-1628          | 626115-1200-118   | 12         | 105.0          | 11           | 118.0     | 6.0            | 49.0          |
| A-5555-2392          | –                 | 12         | 175.0          | 11           | 200.0     | 6.0            | 76.0          |
| A-5555-2144          | –                 | 15         | 52.5           | 11           | 65.5      | 6.0            | 29.0          |
| A-5555-2270          | –                 | 15         | 105.0          | 11           | 118.0     | 6.0            | 50.0          |
| A-5555-2393          | –                 | 15         | 175.0          | 11           | 200.0     | 6.0            | 78.0          |

## Styli for ScanMax

|        |                  |
|--------|------------------|
| Thread | M5               |
| Base   | Stainless steel  |
| Stem   | Tungsten carbide |
| Ball   | Tungsten carbide |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-2394          | 000000-1078-483   | 3       | 23.5        | 11        | 33.5   | 2           | 4.5        |
| A-5555-3949          | 000000-1073-344   | 5       | 95.0        | 11        | 105    | 3.5         | 15.0       |
| A-5555-2395          | 612030-9649-000   | 8       | 50.5        | 11        | 63.0   | 6.0         | 25.0       |



## Tungsten carbide styli with silicon nitride ball

|                  |                  |
|------------------|------------------|
| Thread           | M5               |
| Base             | Titanium         |
| Stem             | Tungsten carbide |
| Ball             | Silicon nitride  |
| Additional notes | Cup mounted      |

| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-3777          | –                 | 1.0        | 5.0/10.0       | 11           | 20.0      | 0.8/1.0        | 3.5           |
| A-5555-3778          | –                 | 1.0        | 5.0/15.0       | 11           | 25.0      | 0.8/1.0        | 3.5           |
| A-5555-3779          | –                 | 1.0        | 5.0/20.0       | 11           | 30.0      | 0.8/1.0        | 3.8           |
| A-5555-3780          | –                 | 1.5        | 8.0/20.0       | 11           | 30.0      | 1.0/1.5        | 3.5           |
| A-5555-3781          | –                 | 2.0        | 10.0           | 11           | 20.0      | 1.0            | 3.5           |
| A-5555-3782          | –                 | 2.0        | 15.0           | 11           | 25.0      | 1.0            | 3.5           |
| A-5555-3783          | –                 | 2.0        | 20.0           | 11           | 30.0      | 1.5            | 3.8           |
| A-5555-3784          | –                 | 2.0        | 30.0           | 11           | 40.0      | 1.5            | 4.0           |
| A-5555-3785          | 626115-0303-025   | 3.0        | 15.0           | 11           | 25.0      | 2.0            | 4.0           |
| A-5555-3786          | –                 | 3.0        | 23.5           | 11           | 33.5      | 2.0            | 4.5           |
| A-5555-3787          | 626115-0302-050   | 3.0        | 40.0           | 11           | 50.0      | 2.0            | 5.3           |
| A-5555-3734          | 626115-0300-058   | 3.0        | 48.0           | 11           | 58.0      | 2.0            | 5.5           |
| A-5555-3788          | 626115-0400-034   | 4.0        | 23.5           | 11           | 33.5      | 2.0            | 4.5           |
| A-5555-3789          | –                 | 4.0        | 54.0           | 11           | 64.0      | 2.0            | 5.9           |
| A-5555-3790          | –                 | 5.0        | 20.0           | 11           | 30.0      | 3.5            | 8.0           |
| A-5555-3791          | 626115-0501-050   | 5.0        | 40.0           | 11           | 50.0      | 3.5            | 9.0           |
| A-5555-3792          | –                 | 5.0        | 43.0           | 11           | 53.0      | 3.5            | 9.8           |
| A-5555-3793          | 626115-0500-075   | 5.0        | 65.0           | 11           | 75.0      | 3.5            | 12.5          |
| A-5555-3794          | 626115-0501-100   | 5.0        | 90.0           | 11           | 100.0     | 3.5            | 18.0          |
| A-5555-3795          | –                 | 6.0        | 44.0           | 11           | 54.0      | 3.5            | 10.0          |
| A-5555-3796          | –                 | 7.0        | 45.0           | 11           | 55.0      | 3.5            | 10.0          |
| A-5555-3797          | 626115-0800-064   | 8.0        | 50.5           | 11           | 63.5      | 6.0            | 36.6          |
| A-5555-3798          | 626115-0800-075   | 8.0        | 62.0           | 11           | 75.0      | 6.0            | 29.4          |




| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-3799          | –                 | 8.0        | 87.0           | 11           | 100.0     | 6.0            | 39.9          |
| A-5555-3800          | 626115-0800-115   | 8.0        | 101.5          | 11           | 114.5     | 6.0            | 45.7          |
| A-5555-3801          | –                 | 9.0        | 51.5           | 11           | 64.5      | 6.0            | 26.3          |
| A-5555-3802          | –                 | 10.0       | 52.5           | 11           | 65.5      | 6.0            | 25.8          |
| A-5555-3803          | –                 | 10.0       | 105.0          | 11           | 118       | 6.0            | 47.3          |
| A-5555-3804          | –                 | 10.0       | 135.0          | 11           | 150.0     | 6.0            | 60.0          |

## Reference styli (red dot)

|        |                 |
|--------|-----------------|
| Thread | M5              |
| Base   | Stainless steel |
| Stem   | Stainless steel |
| Ball   | Ruby            |


| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1 DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-3805          | 600342-8023-010   | 8          | 50.5           | 11           | 63.5      | 6.0            | 24.8          |



## Carbon fibre styli, thermostable

|                  |                              |
|------------------|------------------------------|
| Thread           | M5                           |
| Base             | Titanium                     |
| Stem             | Carbon fibre                 |
| Ball             | Ruby                         |
| Additional notes | Thermostable and peg mounted |

| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-1916          | 626105-0300-025   | 3          | 15.0           | 11           | 25.0      | 2              | 4.0           |
| A-5555-1847          | 626105-0300-033   | 3          | 23.5           | 11           | 33.5      | 2              | 4.2           |
| A-5555-0730          | 626105-0300-050   | 3          | 40.0           | 11           | 50.0      | 2              | 4.5           |
| A-5555-3806          | 626105-0300-058   | 3          | 48.0           | 11           | 58.0      | 2              | 4.9           |
| A-5555-1917          | 626105-0400-033   | 4          | 23.5           | 11           | 33.5      | 2              | 4.2           |
| A-5555-0731          | 626105-0400-064   | 4          | 54.0           | 11           | 64.0      | 2              | 4.6           |
| A-5555-0732          | 626105-0510-050   | 5          | 40.0           | 11           | 50.0      | 3.5            | 4.8           |
| A-5555-2013          | –                 | 5          | 43.0           | 11           | 53.0      | 3.5            | 4.9           |
| A-5555-0735          | 626105-0510-075   | 5          | 65.0           | 11           | 75.0      | 3.5            | 5.0           |
| A-5555-0410          | 626105-0510-100   | 5          | 90.0           | 11           | 100.0     | 3.5            | 5.4           |
| A-5555-0733          | 626105-0610-054   | 6          | 44.0           | 11           | 54.0      | 3.5            | 4.9           |
| A-5555-0734          | 626105-0710-055   | 7          | 45.0           | 11           | 55.0      | 3.5            | 4.9           |
| A-5555-3807          | 626105-0820-063   | 8          | 50.5           | 11           | 63.5      | 6              | 7.0           |
| A-5555-3997          | 626105-0820-075   | 8          | 62.0           | 11           | 75.0      | 6              | 7.3           |
| A-5555-1918          | 626105-0820-100   | 8          | 87.0           | 11           | 100.0     | 6              | 7.5           |
| A-5555-3808          | 626105-0820-114   | 8          | 101.5          | 11           | 114.5     | 6              | 9.5           |
| A-5555-9361          | 626105-0820-150   | 8          | 137.0          | 11           | 150.0     | 6              | 11            |
| A-5555-1112          | 626105-0820-200   | 8          | 187.0          | 11           | 200.0     | 6              | 13            |
| A-5555-3809          | –                 | 9          | 51.5           | 11           | 64.5      | 6              | 7.2           |
| A-5555-1027          | 626105-1020-065   | 10         | 52.5           | 11           | 65.5      | 6              | 8.0           |




| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3998          | 626105-1020-118   | 10      | 105.0       | 11        | 118.0  | 6           | 14.5       |
| A-5555-0643          | 626105-1020-150   | 10      | 137.0       | 11        | 150.0  | 6           | 16.0       |
| A-5555-0644          | 626105-1020-200   | 10      | 187.0       | 11        | 200.0  | 6           | 19.0       |

## Carbon fibre styli, thermostable with silicon nitride ball

|                  |                                 |
|------------------|---------------------------------|
| Thread           | M5                              |
| Base             | Titanium                        |
| Stem             | Carbon fibre                    |
| Ball             | Silicon nitride                 |
| Additional notes | Peg mounted up to 6 mm diameter |

| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3812          | 626105-0301-025   | 3       | 15.0        | 11        | 25.0   | 2           | 4.0        |
| A-5555-1828          | 626105-0301-033   | 3       | 23.5        | 11        | 33.5   | 2           | 4.2        |
| A-5555-3813          | 626105-0301-050   | 3       | 40.0        | 11        | 5.00   | 2           | 4.5        |
| A-5555-3814          | 626105-0301-058   | 3       | 48.0        | 11        | 58.0   | 2           | 4.9        |
| A-5555-3815          | 626105-0301-033   | 4       | 23.5        | 11        | 33.5   | 2           | 4.2        |
| A-5555-2396          | 626105-0401-064   | 4       | 54.0        | 11        | 64.0   | 2           | 4.6        |
| A-5555-3817          | 626105-0511-050   | 5       | 40.0        | 11        | 50.0   | 3.5         | 4.8        |
| A-5555-2397          | –                 | 5       | 43.0        | 11        | 53.0   | 3.5         | 4.9        |
| A-5555-2012          | 626105-0511-075   | 5       | 65.0        | 11        | 75.0   | 3.5         | 5.0        |
| A-5555-1065          | 626105-0511-100   | 5       | 90.0        | 11        | 100.0  | 3.5         | 5.4        |
| A-5555-2398          | –                 | 6       | 44.0        | 11        | 54.0   | 3.5         | 4.9        |
| A-5555-2399          | –                 | 7       | 45.0        | 11        | 55.0   | 3.5         | 4.9        |
| A-5555-0720          | 626105-0821-063   | 8       | 50.5        | 11        | 63.5   | 6           | 7.0        |
| A-5555-2400          | –                 | 8       | 62.0        | 11        | 75.0   | 6           | 7.3        |
| A-5555-3820          | 626105-0821-100   | 8       | 87.0        | 11        | 100.0  | 6           | 7.5        |
| A-5555-3821          | 626105-0821-114   | 8       | 101.5       | 11        | 114.5  | 6           | 9.5        |




| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-1169          | 626105-0821-150   | 8          | 137.0          | 11           | 150.0     | 6              | 11.0          |
| A-5555-1179          | 626105-0821-200   | 8          | 187.0          | 11           | 200.0     | 6              | 13.0          |
| A-5555-2402          | –                 | 9          | 51.5           | 11           | 64.5      | 6              | 7.2           |
| A-5555-2403          | 626105-1021-065   | 10         | 52.5           | 11           | 65.5      | 6              | 8.0           |
| A-5555-3824          | 626105-1021-118   | 10         | 105.0          | 11           | 118.0     | 6              | 14.5          |
| A-5555-3825          | 626105-1021-150   | 10         | 137.0          | 11           | 150.0     | 6              | 16.0          |
| A-5555-1171          | 626105-1021-200   | 10         | 187.0          | 11           | 200.0     | 6              | 19.0          |

## Ceramic styli

|                  |             |
|------------------|-------------|
| Thread           | M5          |
| Base             | Titanium    |
| Stem             | Ceramic     |
| Ball             | Ruby        |
| Additional notes | Cup mounted |


| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|
| A-5555-0041          | 600342-8013-000   | 5          | 43.0           | 11           | 53.0      | 3.5            |               | 4.6           |
| A-5555-0042          | 600342-8016-000   | 6          | 44.0           | 11           | 54.0      | 3.5            |               | 4.7           |
| A-5555-0043          | 600342-8017-000   | 7          | 45.0           | 11           | 55.0      | 3.5            |               | 5.0           |
| A-5555-0044          | 600342-8014-000   | 8          | 50.5           | 11           | 63.5      | 6.0            |               | 8.3           |
| A-5555-0049          | –                 | 8          | 41.5           | 19           | 63.5      | 6.0            |               | 33.0          |
| A-5555-0050          | 600342-8015-000   | 8          | 101.5          | 11           | 114.5     | 6.0            |               | 11.8          |
| A-5555-0051          | –                 | 8          | 92.5           | 19           | 114.5     | 6.0            |               | 38.0          |
| A-5555-0045          | 600342-8018-000   | 9          | 51.5           | 11           | 64.5      | 6.0            |               | 8.4           |
| A-5555-0046          | –                 | 9          | 42.5           | 19           | 64.5      | 6.0            |               | 21.0          |
| A-5555-0047          | 600342-8019-000   | 10         | 52.5           | 11           | 65.5      | 6.0            |               | 9.0           |
| A-5555-0048          | –                 | 10         | 43.5           | 19           | 65.5      | 6.0            |               | 38.0          |



## Micro ball styli


|                  |                                                       |
|------------------|-------------------------------------------------------|
| Thread           | M5                                                    |
| Base             | Stainless steel                                       |
| Stem             | Tungsten carbide                                      |
| Ball             | Ruby                                                  |
| Additional notes | Peg mounted except for ball diameters 0.2 mm - 0.6 mm |

| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-2404          | —                 | 0.2        | 2.3/12.0       | 11           | 32        | 0.18/1.0       | 6.5           |
| A-5555-2405          | —                 | 0.25       | 2.3/12.0       | 11           | 32        | 0.18/1.0       | 6.5           |
| A-5555-2407          | —                 | 0.3        | 2.3/12.0       | 11           | 32        | 0.2/1.0        | 6.5           |
| A-5555-1773          | —                 | 0.5        | 2.5/12.0       | 11           | 32        | 0.3/1.0        | 6.5           |
| A-5555-1095          | 000000-1120-407   | 0.6        | 4.6/12.0       | 11           | 32        | 0.4/1.0        | 6.5           |
| A-5555-0052          | 602030-8060-000   | 0.8        | 4.8/12.0       | 11           | 32        | 0.6/1.0        | 6.8           |
| A-5555-0053          | 602030-8061-000   | 1.0        | 5.0/12.0       | 11           | 32        | 0.8/1.0        | 6.8           |
| A-5555-0054          | 602030-8062-000   | 1.35       | 12.0           | 11           | 32        | 1.0            | 6.9           |
| A-5555-0055          | 602030-8063-000   | 1.35       | 19.0           | 11           | 44        | 1.0            | 7.5           |
| A-5555-0056          | 602030-8064-000   | 1.5        | 12.0           | 11           | 32        | 1.0            | 6.5           |
| A-5555-0057          | 602030-8065-000   | 1.5        | 19.0           | 11           | 44        | 1.0            | 7.5           |
| A-5555-0058          | 602030-8066-000   | 2.0        | 12.0           | 11           | 32        | 1.5            | 7.3           |
| A-5555-0059          | 602030-8067-000   | 2.0        | 19.0           | 11           | 44        | 1.5            | 8.0           |
| A-5555-0060          | 602030-8068-000   | 2.0        | 33.0           | 11           | 58        | 1.5            | 8.0           |
| A-5555-0061          | 602030-8069-000   | 2.5        | 12.0           | 11           | 32        | 1.5            | 7.3           |
| A-5555-0062          | 602030-8070-000   | 2.5        | 19.0           | 11           | 44        | 1.5            | 8.0           |
| A-5555-0063          | 602030-8071-000   | 2.5        | 33.0           | 11           | 58        | 1.5            | 8.0           |



|                  |                  |
|------------------|------------------|
| Thread           | M5               |
| Base             | Titanium (conic) |
| Stem             | Tungsten carbide |
| Ball             | Ruby             |
| Additional notes | Peg mounted      |


| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-0064          | 602030-9019-000   | 1.0        | 5              | 11           | 55        | 0.8            | 11.9          |
| A-5555-0065          | 602030-9020-000   | 1.5        | 5              | 11           | 55        | 1.0            | 11.9          |
| A-5555-0066          | 602030-9021-000   | 2.0        | 5              | 11           | 55        | 1.5            | 11.9          |
| A-5555-0067          | –                 | 2.5        | 5              | 11           | 55        | 2.0            | 11.9          |
| A-5555-0068          | 602030-9023-000   | 3.5        | 10             | 11           | 55        | 2.5            | 11.9          |



## Cube star

|        |                  |
|--------|------------------|
| Thread | M5               |
| Base   | Titanium         |
| Stem   | Tungsten carbide |
| Ball   | Ruby             |


| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|
| A-5555-0069          | –                 | 1.0        | 7.0            |              | 45        | 0.8/2.0        | 15            | 17.3          |
| A-5555-0070          | 602030-9025-000   | 1.5        | 7.5            |              | 45        | 1.0/2.0        | 15            | 17.3          |
| A-5555-0071          | –                 | 2.0        | 7.5            |              | 45        | 1.5/2.0        | 15            | 17.3          |
| A-5555-0072          | 602030-9027-000   | 2.5        | 8.0            |              | 45        | 1.5/2.0        | 15            | 17.3          |
| A-5555-0073          | –                 | 3.5        | 15.0           |              | 45        | 2.0            | 15            | 17.3          |



## Styli for star configuration, thread length 12.5 mm

|                  |                                                       |
|------------------|-------------------------------------------------------|
| Thread           | M5                                                    |
| Base             | Stainless steel                                       |
| Stem             | Tungsten carbide                                      |
| Ball             | Ruby                                                  |
| Additional notes | Peg mounted except for ball diameters 0.3 mm – 0.6 mm |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-0084          | 600342-8250-000   | 0.3     | 2.3/12.8    | 11        | 21.8   | 0.2/1.0     | 6          |
| A-5555-0085          | 600342-8251-000   | 0.5     | 2.5/13.0    | 11        | 22.0   | 0.3/1.0     | 6          |
| A-5555-0086          | 600342-8252-000   | 0.6     | 4.6/13.1    | 11        | 22.1   | 0.4/1.0     | 6          |
| A-5555-0087          | 600342-8253-000   | 0.8     | 4.8/13.3    | 11        | 22.3   | 0.6/1.0     | 6          |
| A-5555-0088          | 600342-8254-000   | 1.0     | 5.0/13.5    | 11        | 22.5   | 0.8/1.0     | 6          |
| A-5555-0078          | 600342-8200-000   | 1.35    | 23.85       | 11        | 32.85  | 1.0         | 6          |
| A-5555-0079          | 600342-8201-000   | 1.5     | 24.0        | 11        | 33.0   | 1.0         | 7          |
| A-5555-0080          | 600342-8202-000   | 2.0     | 24.5        | 11        | 33.5   | 1.5         | 7          |
| A-5555-0081          | 600342-8203-000   | 2.5     | 25.0        | 11        | 34.0   | 1.5         | 7          |
| A-5555-2408          | –                 | 3.0     | 16.5        | 11        | 25.5   | 2.0         | 7          |
| A-5555-0082          | 600342-8221-000   | 3.0     | 16.5        | 19        | 34.5   | 2.0         | 20         |
| A-5555-2409          | –                 | 5.0     | 25.5        | 11        | 34.5   | 3.5         | 9          |
| A-5555-0083          | 600342-8222-000   | 5.0     | 25.5        | 19        | 43.5   | 3.5         | 23         |



## Long threaded styli, thread length 5 mm

|                  |                                                       |
|------------------|-------------------------------------------------------|
| Thread           | M5                                                    |
| Base             | Stainless steel                                       |
| Stem             | Tungsten carbide                                      |
| Ball             | Ruby                                                  |
| Additional notes | Peg mounted except for ball diameters 0.3 mm – 0.6 mm |


| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-0331          | 626115-0030-022   | 0.3        | 2.3/12.8       | 11           | 21.8      | 0.2/1.0        | 6             |
| A-5555-1157          | 626115-0050-022   | 0.5        | 2.5/13.0       | 11           | 22.0      | 0.3/1.0        | 6             |
| A-5555-1842          | 626115-0060-022   | 0.6        | 4.6/13.1       | 11           | 22.1      | 0.4/1.0        | 6             |
| A-5555-1844          | 626115-0080-022   | 0.8        | 4.8/13.3       | 11           | 22.3      | 0.6/1.0        | 6             |
| A-5555-1843          | 626115-0100-022   | 1.0        | 5.0/13.5       | 11           | 22.5      | 0.8/1.0        | 6             |
| A-5555-0799          | 626115-0140-033   | 1.35       | 23.85          | 11           | 32.85     | 1.0            | 6             |
| A-5555-0329          | 626115-0150-033   | 1.5        | 24.0           | 11           | 33.0      | 1.0            | 7             |
| A-5555-0965          | –                 | 1.5        | 7.0/24.0       | 11           | 33.0      | 1.0/1.5        | 7             |
| A-5555-3826          | –                 | 2.0        | 24.5           | 11           | 33.5      | 1.0            | 7             |
| A-5555-9325          | 626115-0200-034   | 2.0        | 24.5           | 11           | 33.5      | 1.5            | 7             |
| A-5555-3827          | –                 | 2.5        | 25.0           | 11           | 34.0      | 1.0            | 7             |
| A-5555-0686          | 626115-0250-034   | 2.5        | 25.0           | 11           | 34.0      | 1.5            | 7             |
| A-5555-3828          | –                 | 3.0        | 16.5           | 11           | 25.5      | 2.0            | 9             |
| A-5555-2444          | –                 | 5.0        | 25.5           | 11           | 34.5      | 3.5            | 9             |



## Flat washer for star styli

|        |                 |
|--------|-----------------|
| Thread | M5              |
| Washer | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|-----------|------------|------------|
| A-5555-0089          | 600341-0140-000   | 11        | 1.5        | 1          |
| A-5555-0090          | 600341-0141-000   | 19        | 2.0        | 4          |



## Grooved washer for star styli

|        |                 |
|--------|-----------------|
| Thread | M5              |
| Washer | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|-----------|------------|------------|
| A-5555-0091          | 600341-0150-000   | 11        | 2          | 1          |
| A-5555-0092          | 600341-0151-000   | 19        | 4          | 7          |



## Pin for star styli

|        |                  |
|--------|------------------|
| Thread | M5               |
| Pin    | Tungsten carbide |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-0093          | 600341-0520-000   | 1.0       | 10     | 1          |
| A-5555-0094          | 600341-0521-000   | 1.5       | 10     | 1          |
| A-5555-0095          | 600341-0522-000   | 2.0       | 18     | 1          |
| A-5555-0096          | 600341-0523-000   | 3.5       | 18     | 3          |



## Styli for holder

|                  |                                                       |
|------------------|-------------------------------------------------------|
| Stem             | Tungsten carbide                                      |
| Ball             | Ruby                                                  |
| Additional notes | Peg mounted except for ball diameters 0.2 mm – 0.6 mm |


| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|-----------|----------------|---------------|
| A-5555-1141          | –                 | 0.2        | 2.3            | 15.2      | 0.18/1.0       | 1             |
| A-5555-2410          | –                 | 0.25       | 2.35           | 15.25     | 0.18/1.0       | 1             |
| A-5555-0108          | 600341-8450-000   | 0.3        | 2.3            | 15.3      | 0.2/1.0        | 1             |
| A-5555-2411          | –                 | 0.4        | 2.5            | 15.4      | 0.3/1.0        | 1             |
| A-5555-0109          | 600341-8451-000   | 0.5        | 2.5            | 15.5      | 0.3/1.0        | 1             |
| A-5555-0110          | 600341-8452-000   | 0.6        | 4.6            | 15.6      | 0.4/1.0        | 1             |
| A-5555-1277          | –                 | 0.7        | 4.6            | 15.7      | 0.4/1.0        | 1             |
| A-5555-0111          | 600341-8453-000   | 0.8        | 4.8            | 15.8      | 0.6/1.0        | 1             |
| A-5555-0107          | 600341-8454-000   | 1.0        | 5.0            | 16.0      | 0.8/1.0        | 1             |
| A-5555-0112          | 600341-8500-000   | 1.35       | –              | 26.35     | 1.0            | 1             |
| A-5555-0113          | 600341-8501-000   | 1.5        | –              | 26.5      | 1.0            | 1             |
| A-5555-2412          | –                 | 2.0        | –              | 27.0      | 1.0            | 1             |
| A-5555-0114          | 600341-8502-000   | 2.0        | –              | 27.0      | 1.5            | 1             |
| A-5555-2413          | –                 | 2.5        | –              | 27.5      | 1.0            | 1             |
| A-5555-0115          | 600341-8503-000   | 2.5        | –              | 27.5      | 1.5            | 1             |
| A-5555-0116          | 600341-8510-000   | 3.0        | –              | 38.0      | 2.0            | 2             |
| A-5555-0117          | 600341-8511-000   | 5.0        | –              | 45.0      | 3.5            | 6             |



## 5 way stylus holder

|        |                 |
|--------|-----------------|
| Thread | M5              |
| Holder | Stainless steel |

| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|-------------|------------|
| A-5555-0105          | 600341-8367-000   | 11        | 10     | 1.0         | 3.2        |
| A-5555-0106          | 600341-8368-000   | 11        | 10     | 1.5         | 3.2        |
| A-5555-1245          | 626115-5000-199   | 11        | 10     | 2.0         | 3.2        |




**NOTE:** Fits with styli A-5555-0116 (See “Styli for holder” on page 20)

## Styli for holder 90°

|        |                  |
|--------|------------------|
| Thread | M5               |
| Pin    | Tungsten carbide |

| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|-------------|------------|
| A-5555-0104          | 600341-8160-000   | 11        | 45     | 1-1.5/6     | 16         |




**NOTE:** Fits with styli A-5555-0116 (See “Styli for holder” on page 20)

### Angle for styli 90°

|        |          |
|--------|----------|
| Thread | M5       |
| Angle  | Titanium |


| Renishaw part number | ZEISS part number | ML1/ML (mm) | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-------------|-----------|--------|------------|
| A-5555-1097          | 626105-6901-001   | 17          | 11        | 22.5   | 6          |



### Holder for swivel styli

|        |                 |
|--------|-----------------|
| Thread | M5              |
| Holder | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|-------------|------------|
| A-5555-0118          | 600341-8180-000   | 11        | 40     | 1-1.5/6     | 15         |



### Styli for swivelling configurations

|                  |                  |
|------------------|------------------|
| Thread           | M5               |
| S4 Ball          | Steel            |
| Stem             | Tungsten carbide |
| Ball             | Ruby             |
| Additional notes | Peg mounted      |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-0119          | 600341-8183-000   | 1       | 5.0         | 1.0       | 17.5   | 0.8/1.0     | 1          |
| A-5555-0120          | 600341-8185-000   | 2       | 24.5        | 1.5       | 28.5   | 1.5         | 1          |



## Spherical disc styli

|        |           |
|--------|-----------|
| Thread | M5        |
| Base   | Aluminium |
| Disc   | Steel     |


| Renishaw part number | ZEISS part number | DK (mm) | DG/D (mm) | L (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|---------|-----------|--------|------------|------------|
| A-5555-0121          | 600341-8090-000   | 10      | 7         | 21.5   | 1.5        | 3          |
| A-5555-0122          | 600341-8095-000   | 15      | 10        | 21.5   | 1.5        | 6          |
| A-5555-0124          | 000000-1165-629   | 15      | 7         | 40.0   | 1.0        | 5          |
| A-5555-0123          | 602030-8091-000   | 20      | 7         | 60.0   | 1.0        | 8          |



## Spherical disc styli ScanMax

|        |          |
|--------|----------|
| Thread | M5       |
| Base   | Titanium |
| Disc   | Steel    |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|------------|
| A-5555-2415          | 632001-8209-000   | 10      | 55          | 11        | 65     | 3.5/5.5     | 1          | 11         |
| A-5555-2416          | 626115-1505-065   | 15      | 55          | 11        | 65     | 3.5/5.5     | 1          | 18         |
| A-5555-2417          | 632001-8207-000   | 20      | 55          | 11        | 65     | 3.5/5.5     | 1          | 19         |
| A-5555-2418          | 632001-8208-000   | 25      | 55          | 11        | 65     | 3.5/10.0    | 1          | 22         |
| A-5555-2419          | 632001-8210-000   | 30      | 55          | 11        | 65     | 3.5/10.0    | 2          | 39         |
| A-5555-2420          | 632001-8213-000   | 40      | 55          | 11        | 65     | 3.5/10.0    | 2          | 57         |
| A-5555-2421          | 000000-1019-819   | 10      | 55          | 11        | 65     | 3.5/5.5     | 2          | 17         |
| A-5555-2422          | 000000-1019-820   | 15      | 55          | 11        | 65     | 3.5/5.5     | 2          | 20         |
| A-5555-2423          | 000000-1019-822   | 20      | 55          | 11        | 65     | 3.5/5.5     | 2          | 25         |
| A-5555-2424          | 000000-1019-824   | 25      | 55          | 11        | 65     | 3.5/10.0    | 2          | 32         |



# Styli for thread measurement

|                  |                                              |
|------------------|----------------------------------------------|
| Thread           | M5                                           |
| Base             | Stainless steel                              |
| Stem             | Tungsten carbide                             |
| Ball             | Ruby                                         |
| Additional notes | Peg mounted except for ball diameters 0.5 mm |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|------------|
| A-5555-3999          | –                 | 0.5     | 3.5         | 11        | 40     | 0.4         | 1.9        | 7          |
| A-5555-0077          | –                 | 0.8     | 5           | 11        | 40     | 0.6         | 1.9        | 7          |
| A-5555-0074          | –                 | 1.35    | 9           | 11        | 40     | 1.0         | 2.0        | 11         |
| A-5555-0076          | –                 | 1.8     | 10          | 11        | 40     | 1.0         | 2.0        | 12         |
| A-5555-0075          | –                 | 2.3     | 12          | 11        | 40     | 1.0         | 2.5        | 13         |



# Styli pointer

|        |                  |
|--------|------------------|
| Thread | M5               |
| Base   | Titanium         |
| Stem   | Tungsten carbide |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-0216          | 600342-8051-000   | 30°     | 39          | 11        | 61     | 3.5         | 12         |



## Star styli


|                  |                  |
|------------------|------------------|
| Thread           | M5               |
| Base             | Aluminium        |
| Stem             | Tungsten carbide |
| Ball             | Ruby             |
| Additional notes | Peg mounted      |

| Renishaw part number | ZEISS part number | DK (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-----------|--------|-------------|------------|
| A-5555-0215          | 600331-8093-000   | 5       | 19        | 80     | 3.5         | 70         |



|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Thread           | M5                                                            |
| Base             | Stainless steel                                               |
| Stem             | Tungsten carbide                                              |
| Ball             | Ruby                                                          |
| Additional notes | Thermostable and peg mounted except for 0.6 mm ball diameters |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | A (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|--------|------------|
| A-5555-1153          | —                 | 0.6     | 30          | 11        | 40     | 0.4/4.0     | 8      | 9          |
| A-5555-1135          | —                 | 0.8     | 30          | 11        | 40     | 0.6/4.0     | 8      | 9          |
| A-5555-3839          | —                 | 1.0     | 30          | 11        | 40     | 0.8/4.0     | 8      | 9          |



## Spherical disc

|        |                 |
|--------|-----------------|
| Thread | M5              |
| Disc   | Stainless steel |


| Renishaw part number | ZEISS part number | DK (mm) | Thread/bore hole (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|---------|-----------------------|------------|------------|
| A-5555-0196          | 602030-0004-000   | 15      | M5                    | 4          | 5          |
| A-5555-0197          | 602030-0005-000   | 20      | M5                    | 4          | 9          |
| A-5555-0198          | 602030-0006-000   | 30      | M5                    | 4          | 21         |
| A-5555-0199          | 602030-0007-000   | 40      | M5                    | 5          | 42         |
| A-5555-0200          | 602030-0008-000   | 50      | M5                    | 5          | 64         |
| A-5555-0201          | 602030-0009-000   | 60      | M5                    | 5          | 89         |
| A-5555-0203          | 602030-0011-000   | 20      | 8                     | 4          | 8          |
| A-5555-0204          | 600341-0200-000   | 20      | 8                     | 2          | 4          |
| A-5555-0205          | 600341-0203-000   | 30      | 8                     | 4          | 10         |
| A-5555-0206          | 600341-0204-000   | 40      | 8                     | 4          | 21         |
| A-5555-0207          | 600341-0205-000   | 50      | 8                     | 5          | 36         |
| A-5555-0208          | 600341-0206-000   | 60      | 8                     | 6          | 59         |



## Rotary adaptor

|         |          |
|---------|----------|
| Thread  | M5       |
| Adaptor | Titanium |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-0713          | –                 | 11        | 29     | 13         |
| A-5555-0099          | –                 | 18        | 30     | 43         |



## Knuckle, swing range 180°

|         |          |
|---------|----------|
| Thread  | M5       |
| Knuckle | Titanium |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-0218          | 600342-9002-000   | 11        | 30     | 11.2       |
| A-5555-0219          | –                 | 18        | 36     | 37.2       |



## Rotary knuckle, slewing range 360°, swing range 180°

|         |          |
|---------|----------|
| Thread  | M5       |
| Knuckle | Titanium |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-1093          | –                 | 11        | 51     | 19         |
| A-5555-3841          | –                 | 18        | 58     | 58         |



## Cube

|        |          |
|--------|----------|
| Thread | M5       |
| Cube   | Titanium |

| Renishaw part number | ZEISS part number | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|------------|------------|
| A-5555-0189          | 600341-8361-000   | 15         | 12.6       |
| A-5555-1478*         | 626115-6110-001   | 15         | 12.6       |
| A-5555-0190          | 600341-8002-000   | 20         | 31.5       |
| A-5004-2109*         | 626115-6110-003   | 20         | 31.5       |





**NOTE:** Screwset enclosed.

|        |           |
|--------|-----------|
| Thread | M5        |
| Cube   | Aluminium |

| Renishaw part number | ZEISS part number | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|------------|------------|
| A-5555-0191          | 602030-8363-000   | 15         | 7.5        |
| A-5555-0192          | 602030-8362-000   | 20         | 20.0       |

|        |          |
|--------|----------|
| Thread | M5       |
| Cube   | Titanium |


| Renishaw part number | ZEISS part number | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|------------|------------|
| A-5555-1892          | 626115-6110-002   | 15         | 13         |



## 4-way cube

|        |          |
|--------|----------|
| Thread | M5       |
| Cube   | Titanium |


| Renishaw part number | ZEISS part number | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|------------|------------|
| A-5555-1551          | —                 | 15         | 13         |



## Cube with angle

|        |          |
|--------|----------|
| Thread | M5       |
| Cube   | Titanium |


| Renishaw part number | ZEISS part number | W<br>(°) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|----------|---------------|---------------|
| A-5555-2425          | –                 | 87.5     | 15            | 13.0          |
| A-5555-2426          | –                 | 85.0     | 15            | 13.4          |
| A-5555-2427          | –                 | 82.5     | 15            | 13.8          |
| A-5555-2428          | –                 | 80.0     | 15            | 14.2          |
| A-5555-2429          | –                 | 77.5     | 15            | 14.6          |
| A-5555-2430          | –                 | 75.0     | 15            | 15.0          |
| A-5555-2431          | –                 | 72.5     | 15            | 15.4          |
| A-5555-2432          | –                 | 70.0     | 15            | 15.8          |
| A-5555-2433          | –                 | 67.5     | 15            | 16.2          |
| A-5555-2434          | –                 | 65.0     | 15            | 16.6          |
| A-5555-2435          | –                 | 62.5     | 15            | 17.0          |
| A-5555-2436          | –                 | 60.0     | 15            | 17.4          |
| A-5555-2437          | –                 | 57.5     | 15            | 17.8          |
| A-5555-2438          | –                 | 55.0     | 15            | 18.2          |
| A-5555-2439          | –                 | 52.5     | 15            | 18.6          |
| A-5555-2440          | –                 | 50.0     | 15            | 19.0          |
| A-5555-2441          | –                 | 47.5     | 15            | 19.4          |
| A-5555-2442          | –                 | 45.0     | 15            | 19.8          |



### Double cube

|        |          |
|--------|----------|
| Thread | M5       |
| Cube   | Titanium |


| Renishaw part number | ZEISS part number | L<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|-----------|---------------|---------------|
| A-5555-0194          | –                 | 40        | 20            | 64            |



### Cube extension

|        |          |
|--------|----------|
| Thread | M5       |
| Cube   | Titanium |

| Renishaw part number | ZEISS part number | L<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|-----------|---------------|---------------|
| A-5555-0217          | –                 | 120       | 20            | 87            |




## Extensions

|           |          |
|-----------|----------|
| Thread    | M5       |
| Extension | Titanium |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-0143          | 602030-9044-000   | 11        | 10     | 3.6        |
| A-5555-0144          | 602030-9045-000   | 11        | 15     | 5.7        |
| A-5555-0145          | 602030-9046-000   | 11        | 20     | 7.8        |
| A-5555-0146          | 602030-9047-000   | 11        | 25     | 9.7        |
| A-5555-0950          | 000000-1251-674   | 11        | 30     | 12.1       |
| A-5555-0619          | —                 | 11        | 35     | 13.9       |
| A-5555-0148          | 602030-9049-000   | 11        | 40     | 16.1       |
| A-5555-0150          | 602030-9051-000   | 11        | 50     | 12.7       |
| A-5555-0152          | 602030-9053-000   | 11        | 60     | 13.6       |
| A-5555-0154          | 602030-9055-000   | 11        | 75     | 15.0       |
| A-5555-0156          | 602030-9057-000   | 11        | 80     | 15.6       |
| A-5555-0158          | 602030-9059-000   | 11        | 90     | 16.2       |
| A-5555-0160          | 602030-9061-000   | 11        | 100    | 17.3       |
| A-5555-0162          | 602030-9063-000   | 11        | 120    | 19.4       |
| A-5555-0164          | 602030-9065-000   | 11        | 150    | 22.4       |
| A-5555-0147          | 602030-9048-000   | 18        | 25     | 27.3       |
| A-5555-0149          | 602030-9050-000   | 18        | 40     | 44.7       |
| A-5555-0151          | 602030-9052-000   | 18        | 50     | 36.3       |
| A-5555-0153          | 602030-9054-000   | 18        | 60     | 38.3       |
| A-5555-0155          | 602030-9056-000   | 18        | 75     | 42.8       |
| A-5555-0157          | 602030-9058-000   | 18        | 80     | 44.2       |
| A-5555-0159          | 602030-9060-000   | 18        | 90     | 47.3       |
| A-5555-0161          | 602030-9062-000   | 18        | 100    | 49.4       |
| A-5555-0163          | 602030-9064-000   | 18        | 120    | 55.1       |
| A-5555-0165          | 602030-9066-000   | 18        | 150    | 65.0       |

| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-0166          | 602030-9067-000   | 18        | 200    | 79.3       |
| A-5555-0167          | 602030-9068-000   | 18        | 250    | 92.4       |
| A-5555-0168          | 602030-9069-000   | 18        | 300    | 107.0      |




|           |                                          |
|-----------|------------------------------------------|
| Thread    | M5                                       |
| Extension | Thermostable carbon fibre, titanium ends |

| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-0647          | 626107-1040-100   | 11        | 40     | 9          |
| A-5555-0648          | 626107-1050-100   | 11        | 50     | 10         |
| A-5555-0649          | 626107-1060-100   | 11        | 60     | 11         |
| A-5555-0623          | 626107-1070-100   | 11        | 70     | 11         |
| A-5555-0650          | 626107-1080-100   | 11        | 80     | 12         |
| A-5555-0651          | 626107-1090-100   | 11        | 90     | 13         |
| A-5555-0652          | 626107-1100-100   | 11        | 100    | 14         |
| A-5555-0425          | 626107-1120-100   | 11        | 120    | 15         |
| A-5555-0424          | 626107-1150-100   | 11        | 150    | 17         |
| A-5555-0653          | 626107-1180-100   | 11        | 180    | 19         |
| A-5555-0654          | 626107-1200-100   | 11        | 200    | 21         |
| A-5555-0655          | 626107-1250-100   | 11        | 250    | 24         |
| A-5555-0642          | 626107-1300-100   | 11        | 300    | 27         |
| A-5555-0656          | 626107-1400-100   | 11        | 400    | 34         |
| A-5555-0620          | 626107-2040-100   | 20        | 40     | 26         |
| A-5555-0657          | 626107-2050-100   | 20        | 50     | 28         |
| A-5555-0658          | 626107-2060-100   | 20        | 60     | 29         |
| A-5555-0621          | 626107-2080-100   | 20        | 80     | 32         |
| A-5555-0659          | 626107-2100-100   | 20        | 100    | 34         |
| A-5555-0660          | 626107-2120-100   | 20        | 120    | 37         |
| A-5555-0661          | 626107-2150-100   | 20        | 150    | 41         |
| A-5555-0662          | 626107-2180-100   | 20        | 180    | 45         |
| A-5555-0663          | 626107-2200-100   | 20        | 200    | 48         |
| A-5555-0427          | 626107-2250-100   | 20        | 250    | 55         |
| A-5555-0664          | 626107-2300-100   | 20        | 300    | 62         |
| A-5555-0665          | 626107-2400-100   | 20        | 400    | 75         |
| A-5555-0667          | 626107-2500-100   | 20        | 500    | 89         |
| A-5555-0668          | 626107-2600-100   | 20        | 600    | 103        |




|           |                                 |
|-----------|---------------------------------|
| Thread    | M5                              |
| Extension | Aluminium, stainless steel ends |

| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5003-0850          | –                 | 11        | 20     | 5.7        |
| A-5555-0135          | 600341-8261-000   | 11        | 40     | 10.3       |
| A-5555-0134          | 600341-8262-000   | 11        | 60     | 15.4       |
| A-5555-0133          | 600341-8263-000   | 11        | 80     | 20.6       |
| A-5555-0132          | 600341-8264-000   | 11        | 100    | 25.6       |
| A-5555-0131          | 600341-8265-000   | 11        | 120    | 30.9       |
| A-5555-0130          | 600341-8425-000   | 20        | 40     | 29.0       |
| A-5555-0671          | –                 | 20        | 50     | 33.3       |
| A-5555-0129          | 600341-8424-000   | 20        | 60     | 37.7       |
| A-5555-0128          | 600341-8423-000   | 20        | 80     | 44.8       |
| A-5555-0127          | 600341-8422-000   | 20        | 100    | 50.7       |
| A-5555-0126          | 600341-8421-000   | 20        | 150    | 67.4       |
| A-5555-0125          | 600341-8420-000   | 20        | 200    | 84.7       |



|           |                 |
|-----------|-----------------|
| Thread    | M5              |
| Extension | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-0142          | 600341-0250-000   | 11        | 10     | 6          |
| A-5555-0141          | 600341-0251-000   | 11        | 15     | 9          |
| A-5555-0140          | 600341-0252-000   | 11        | 20     | 13         |
| A-5555-0139          | 600341-0254-000   | 11        | 40     | 28         |
| A-5555-0138          | 600341-0256-000   | 11        | 60     | 42         |
| A-5555-0137          | 600341-0258-000   | 11        | 80     | 58         |
| A-5555-0136          | 600341-0260-000   | 11        | 100    | 73         |



# Thread measuring gauge

|        |                 |
|--------|-----------------|
| Thread | M5              |
| Guage  | Stainless steel |


| Renishaw part number | ZEISS part number | ML1/ML (mm) | DG/D (mm) | L (mm) | MB (mm) | G1 (mm) | Weight (g) |
|----------------------|-------------------|-------------|-----------|--------|---------|---------|------------|
| A-5555-0209          | –                 | 10          | 10        | 16     | 1.8     | M4      | 4          |
| A-5555-0210          | –                 | 10          | 10        | 16     | 1.8     | M5      | 4          |
| A-5555-0211          | –                 | 12          | 12        | 18     | 1.8     | M6      | 7          |
| A-5555-0212          | –                 | 12          | 15        | 20     | 3.0     | M8      | 13         |
| A-5555-0213          | –                 | 15          | 18        | 25     | 3.0     | M10     | 25         |
| A-5555-0214          | –                 | 15          | 20        | 25     | 3.0     | M12     | 33         |



# Screw for cube and spherical disc

|           |                                          |
|-----------|------------------------------------------|
| Thread    | M5                                       |
| Extension | Thermostable carbon fibre, titanium ends |


| Renishaw part number | ZEISS part number | ML1/ML (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-------------|--------|------------|
| A-5555-0223          | 600341-0212       | 9           | 17.5   | 7          |
| A-5555-0222          | 600341-0211       | 21          | 30.0   | 9          |
| A-5555-0221          | 600341-0210       | 26          | 35.0   | 9          |
| A-5555-0225          | –                 | 21          | –      | 3          |
| A-5555-0224          | –                 | 26          | –      | 4          |



## Adaptor

|         |                 |
|---------|-----------------|
| Thread  | M5              |
| Adaptor | Stainless steel |



| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | From/to (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|--------------|------------|
| A-5555-0226          | 602030-0215-000   | 11        | 10     | M5/M2        | 5.2        |
| A-5555-0227          | 602030-0315-000   | 11        | 10     | M5/M3        | 5.2        |
| A-5555-0228          | –                 | 11        | 10     | M5/M4        | 5.2        |



## Adaptor with thread/conical shaft base

|         |                 |
|---------|-----------------|
| Thread  | M5              |
| Adaptor | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-0013          | 600331-0001-000   | 18        | 10     | 12         |
| A-5555-0014          | 602030-0018-000   | 18        | 12     | 10         |



## Holder for digitilisation styli

|        |                 |
|--------|-----------------|
| Thread | M5              |
| Holder | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Thread (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|-------------|------------|
| A-5555-0231          | –                 | 15.81     | 119    | M2          | 126        |
| A-5555-0232          | 602030-9115-000   | 9.52      | 127    | M2          | 87         |



### Pin type spanner 2.9

|         |                 |
|---------|-----------------|
| Thread  | M5              |
| Spanner | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Qty   |
|----------------------|-------------------|-----------|--------|-------|
| A-5555-0240          | 602030-0222-000   | 2.9       | 70     | 1 off |
| A-5555-0238          | 600341-8596-000   | 2.9       | 70     | 2 off |



### Calibration sphere with stand

|                  |                                  |
|------------------|----------------------------------|
| Thread           | M8                               |
| Material         | Stainless steel                  |
| Ball             | Ceramic                          |
| Additional notes | Includes an internal certificate |


| Renishaw part number | ZEISS part number | DK (mm) | DG/D (mm) | L (mm) | SW (mm) |
|----------------------|-------------------|---------|-----------|--------|---------|
| A-5555-3842          | –                 | 15      | 24        | 130    | 22      |
| A-5555-3843          | –                 | 20      | 24        | 135    | 22      |
| A-5555-3844          | –                 | 25      | 24        | 140    | 22      |
| A-1034-0124          | –                 | 30      | 24        | 145    | 22      |



## Magnet base for calibration sphere

|                  |                           |
|------------------|---------------------------|
| Thread           | M8                        |
| Additional notes | For calibration below 45° |

|                      |                   |
|----------------------|-------------------|
| Renishaw part number | ZEISS part number |
| A-5555-2443          | —                 |




# Renishaw adaptor plates for ZEISS probe heads

## Adaptor plate for measuring systems VAST/MT

|                  |                                            |
|------------------|--------------------------------------------|
| Thread           | M5                                         |
| Material         | Aluminium                                  |
| Additional notes | With active ID chip and engraved 15° scale |

| Renishaw part number | ZEISS part number | Number of pieces | Weight (g) |
|----------------------|-------------------|------------------|------------|
| A-5555-0255          | 600667-9601-000   | 1                | 153        |
| A-5555-0256          | 600667-9611-000   | 2                | 306        |
| *A-5555-0258         | 626107-2000-940   | 1                | 130        |




NOTE: \* Adaptor plate instead of cube.

## Adaptor plate for dynamic systems (ST)

|          |           |
|----------|-----------|
| Thread   | M5        |
| Material | Aluminium |


| Renishaw part number | ZEISS part number | Number of pieces | Weight (g) |
|----------------------|-------------------|------------------|------------|
| A-5555-0322          | –                 | 1                | 72         |
| A-5555-0251          | 600660-8251-000   | 2                | 144        |



## Adaptor plate for Prismo dynamic systems (ST)

|          |           |
|----------|-----------|
| Thread   | M5        |
| Material | Aluminium |



| Renishaw part number | ZEISS part number | Number of pieces | Weight (g) |
|----------------------|-------------------|------------------|------------|
| A-5555-3900          | –                 | 1                | 72         |
| A-5555-0253          | 620660-8251-000   | 2                | 144        |



## Extension for adaptor plate

|                |                           |
|----------------|---------------------------|
| Thread         | M5                        |
| Material       | Thermostable carbon fibre |
| Cube and plate | Titanium                  |

| Renishaw part number | ZEISS part number | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|----------------|--------------|-----------|---------------|---------------|
| A-5555-3845          | –                 | 66.5           | 11           | 25        | 15            | 60            |
| A-5555-3846          | –                 | 81.5           | 11           | 40        | 15            | 62            |
| A-5555-3847          | –                 | 91.5           | 11           | 50        | 15            | 64            |
| A-5555-3848          | –                 | 101.5          | 11           | 60        | 15            | 66            |
| A-5555-3849          | –                 | 121.5          | 11           | 80        | 15            | 68            |
| A-5555-3850          | –                 | 141.5          | 11           | 100       | 15            | 70            |
| A-5555-3851          | –                 | 161.5          | 11           | 120       | 15            | 72            |
| A-5555-3740          | –                 | 191.5          | 11           | 150       | 15            | 77            |
| A-5555-3852          | –                 | 241.5          | 11           | 200       | 15            | 84            |
| A-5555-0699          | 626107-2025-130   | 66.5           | 20           | 25        | 15            | 60            |
| A-5555-1985          | 626107-2040-130   | 81.5           | 20           | 40        | 15            | 62            |
| A-5555-1986          | 626107-2050-130   | 91.5           | 20           | 50        | 15            | 64            |
| A-5555-1987          | 626107-2060-130   | 101.5          | 20           | 60        | 15            | 66            |
| A-5555-0700          | 626107-2080-130   | 121.5          | 20           | 80        | 15            | 68            |
| A-5555-1988          | 626107-2100-130   | 141.5          | 20           | 100       | 15            | 70            |
| A-5555-1989          | 626107-2120-130   | 161.5          | 20           | 120       | 15            | 72            |
| A-5555-0701          | 626107-2150-130   | 191.5          | 20           | 150       | 15            | 77            |
| A-5555-1990          | 626107-2200-130   | 241.5          | 20           | 200       | 15            | 84            |
| A-5555-1979          | 626107-2025-110   | 71.5           | 20           | 25        | 20            | 74            |
| A-5555-1980          | 626107-2040-110   | 86.5           | 20           | 40        | 20            | 76            |
| A-5555-1855          | 626107-2050-110   | 96.5           | 20           | 50        | 20            | 78            |
| A-5555-1981          | 626107-2060-110   | 106.5          | 20           | 60        | 20            | 80            |
| A-5555-1982          | 626107-2080-110   | 126.5          | 20           | 80        | 20            | 82            |
| A-5555-1983          | 626107-2100-110   | 146.5          | 20           | 100       | 20            | 84            |
| A-5555-1938          | 626107-2120-110   | 166.5          | 20           | 120       | 20            | 86            |
| A-5555-1937          | 626107-2150-110   | 196.5          | 20           | 150       | 20            | 91            |
| A-5555-1984          | 626107-2200-110   | 246.5          | 20           | 200       | 20            | 98            |




## Renishaw M3 styli, adaptors and accessories for ZEISS analogue probe systems

### Carbide styli XXT

|                  |                                                       |
|------------------|-------------------------------------------------------|
| Thread           | M3                                                    |
| Base             | Titanium                                              |
| Stem             | Tungsten carbide                                      |
| Ball             | Ruby                                                  |
| Additional notes | Peg mounted except for ball diameters 0.3 mm – 0.6 mm |

| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5004-3176          | 626113-0030-013   | 0.3     | 2.3/4.0     | 5         | 13     | 0.2/1.0     | 0.62       |
| A-5004-2185          | 626113-0030-020   | 0.3     | 2.3/11      | 5         | 20     | 0.2/1.0     | 0.69       |
| A-5004-1702          | 626113-0050-013   | 0.5     | 2.3/4.0     | 5         | 13     | 0.3/1.0     | 0.61       |
| A-5004-2186          | 626113-0050-020   | 0.5     | 2.3/11      | 5         | 20     | 0.3/1.0     | 0.69       |
| A-5555-3853          | 626113-0060-014   | 0.6     | 4.6/5.0     | 5         | 14     | 0.4/1.0     | 0.61       |
| A-5004-3179          | 626113-0060-020   | 0.6     | 4.6/11.0    | 5         | 20     | 0.4/1.0     | 0.68       |
| A-5004-3273          | 626113-0080-014   | 0.8     | 5.0         | 5         | 14     | 0.6         | 0.62       |
| A-5004-3274          | 626113-0080-020   | 0.8     | 4.8/11.0    | 5         | 20     | 0.6/1.0     | 0.69       |
| A-5004-1883          | 626113-0080-034   | 0.8     | 4.1/25.0    | 5         | 34     | 0.6/1.0     | 0.8        |
| A-5004-3187          | 626113-0100-014   | 1.0     | 5.0         | 5         | 14     | 0.8         | 0.63       |
| A-5555-3854          | 626113-0101-020   | 1.0     | 5.1/11.0    | 5         | 20     | 0.6/1.0     | 0.7        |
| A-5004-1863          | 626113-0100-020   | 1.0     | 5.0/11.0    | 5         | 20     | 0.8/1.0     | 0.69       |
| A-5004-3519          | 626113-0103-020   | 1.0     | 11.0        | 5         | 20     | 0.8         | 0.7        |
| A-5004-3427          | 626113-0100-030   | 1.0     | 5.0/21.0    | 5         | 30     | 0.8/1.0     | 0.8        |
| A-5555-9341          | 626113-0100-040   | 1.0     | 5.0/31.0    | 5         | 40     | 0.8/1.0     | 1.5        |




| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5004-3272          | 626113-0150-014   | 1.5        | 5.0            | 5            | 14        | 1.0            | 0.65          |
| A-5004-4653          | 626113-0150-020   | 1.5        | 11.0           | 5            | 20        | 1.0            | 0.72          |
| A-5555-9339          | 626113-0151-030   | 1.5        | 21.0           | 5            | 30        | 1.0            | 0.84          |
| A-5555-9340          | 626113-0150-030   | 1.5        | 22.5           | 5            | 30        | 1.0            | 0.9           |
| A-5004-1779          | 626113-0151-040   | 1.5        | 31.0           | 5            | 40        | 1.0            | 1.6           |
| A-5004-3188          | 626113-0200-014   | 2.0        | 5.0            | 5            | 14        | 1.0            | 0.66          |
| A-5004-1861          | 626113-0200-020   | 2.0        | 11.0           | 5            | 20        | 1.0            | 0.72          |
| A-5004-0656          | 626113-0200-030   | 2.0        | 21.0           | 5            | 30        | 1.0            | 0.83          |
| A-5555-3855          | 626113-0201-040   | 2.0        | 31.0           | 5            | 40        | 1.5            | 1.7           |
| A-5555-3856          | 626113-0250-020   | 2.5        | 11.0           | 5            | 20        | 1.5            | 1.0           |
| A-5555-3857          | 626113-0250-030   | 2.5        | 21.0           | 5            | 30        | 1.5            | 1.5           |
| A-5004-3428          | 626113-0250-040   | 2.5        | 31.0           | 5            | 40        | 1.5            | 2.0           |

## Reference styli XXT (red dot)

|        |                           |
|--------|---------------------------|
| Thread | M3                        |
| Base   | Titanium                  |
| Stem   | Thermostable carbon fibre |
| Ball   | Ruby                      |


| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-2033          | 626103-0501-030   | 5          | 21             | 5            | 30        | 3.5            | 1.1           |
| A-5555-3858          | 626103-0501-050   | 5          | 41             | 5            | 50        | 3.5            | 1.4           |



## Carbon fibre styli XXT thermostable

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Ruby                      |
| Additional notes | Peg mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3859          | 626103-0300-025   | 3       | 16          | 5         | 25     | 2.0         | 0.65       |
| A-5004-0802          | 626103-0300-033   | 3       | 24          | 5         | 33     | 2.0         | 0.7        |
| A-5555-1251          | 626103-0300-040   | 3       | 31          | 5         | 40     | 2.0         | 0.8        |
| A-5004-1884          | 626103-0300-042   | 3       | 33          | 5         | 42     | 2.0         | 0.8        |
| A-5004-0803          | 626103-0300-050   | 3       | 41          | 5         | 50     | 2.0         | 0.8        |
| A-5555-3860          | 626103-0300-058   | 3       | 49          | 5         | 58     | 2.0         | 1.0        |
| A-5555-3861          | 626103-0300-059   | 3       | 50          | 5         | 59     | 2.0         | 1.0        |
| A-5555-3862          | 626103-0300-075   | 3       | 66          | 5         | 75     | 2.0         | 1.0        |
| A-5004-2786          | 626103-0401-050   | 4       | 41          | 5         | 50     | 2.0         | 1.0        |
| A-5004-2108          | 626103-0500-030   | 5       | 21          | 5         | 30     | 3.5         | 1.1        |
| A-5555-3863          | 626103-0500-040   | 5       | 31          | 5         | 40     | 3.5         | 1.2        |
| A-5004-0806          | 626103-0500-050   | 5       | 41          | 5         | 50     | 3.5         | 1.4        |
| A-5555-3864          | 626103-0500-060   | 5       | 51          | 5         | 60     | 3.5         | 1.5        |
| A-5555-1114          | 626103-0501-075   | 5       | 66          | 5         | 75     | 3.5         | 1.8        |
| A-5004-3429          | 626103-0600-050   | 6       | 40          | 5         | 50     | 3.5         | 1.5        |
| A-5555-3865          | 626103-0610-070   | 6       | 61          | 5         | 70     | 3.5         | 1.8        |
| A-5555-1115          | 626103-0600-100   | 6       | 91          | 5         | 100    | 3.5         | 2.4        |
| A-5555-3866          | 626103-0800-030   | 8       | 30          | 5         | 30     | 5.0         | 1.86       |
| A-5555-3867          | 626103-0830-050   | 8       | 50          | 5         | 50     | 5.0         | 2.1        |
| A-5555-3868          | 626103-0830-070   | 8       | 70          | 5         | 70     | 5.0         | 2.6        |
| A-5555-3869          | 626103-0830-100   | 8       | 100         | 5         | 100    | 5.0         | 2.7        |
| A-5004-0808          | 626103-0800-125   | 8       | 125         | 5         | 125    | 5.0         | 2.9        |



## Carbon fibre styli XXT thermostable with silicon nitride ball

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Silicon nitride           |
| Additional notes | Cup mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3870          | 626103-0301-033   | 3       | 24          | 5         | 33     | 2.0         | 0.7        |
| A-5555-3871          | 626103-0301-050   | 3       | 41          | 5         | 50     | 2.0         | 0.8        |
| A-5555-3872          | 626103-0502-050   | 5       | 41          | 5         | 50     | 3.5         | 1.4        |
| A-5004-1858          | 626103-0500-075   | 5       | 66          | 5         | 75     | 3.5         | 1.8        |
| A-5004-4635          | 626103-0801-070   | 8       | 70          | 5         | 70     | 5.0         | 2.6        |
| A-5555-3874          | 626103-0801-125   | 8       | 125         | 5         | 125    | 5.0         | 2.9        |



## Carbon fibre clamping styli XXT thermostable

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Ruby                      |
| Additional notes | Peg mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3875          | 626103-0301-020   | 3       | 11          | 5         | 20     | 2           | 0.7        |
| A-5555-3876          | 626103-0301-030   | 3       | 21          | 5         | 30     | 2           | 0.75       |
| A-5004-3282          | 626103-0301-040   | 3       | 31          | 5         | 40     | 2           | 0.8        |



## Carbon fibre clamping styli XXT thermostable with silicon nitide ball

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Silicon nitride           |
| Additional notes | Cup mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3877          | 626103-0311-020   | 3       | 11          | 5         | 20     | 2           | 0.7        |
| A-5555-2445          | 626103-0311-030   | 3       | 21          | 5         | 30     | 2           | 0.75       |
| A-5004-4546          | 626103-0311-040   | 3       | 31          | 5         | 40     | 2           | 0.8        |



## Carbon fibre styli for 1/4 star styli XXT thermostable

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Ruby                      |
| Additional notes | Peg mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-1273          | 626103-0302-020   | 3       | 11          | 5         | 20     | 2           | 0.8        |
| A-5555-1274          | 626103-0302-030   | 3       | 21          | 5         | 30     | 2           | 0.9        |
| A-5555-1275          | 626103-0302-040   | 3       | 31          | 5         | 40     | 2           | 1.0        |



## Carbon fibre styli for 1/4 star styli carbon fibre XXT thermostable with silicon nitride ball

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Silicon nitride           |
| Additional notes | Cup mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3880          | 626103-0312-020   | 3       | 11          | 5         | 20     | 2           | 0.8        |
| A-5555-3881          | 626103-0312-030   | 3       | 21          | 5         | 30     | 2           | 0.9        |
| A-5555-3901          | 626103-0312-040   | 3       | 31          | 5         | 40     | 2           | 1.0        |



## Carbon fibre styli for 1/2 star styli XXT 90° thermostable

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Ruby                      |
| Additional notes | Peg mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3882          | 626103-0303-020   | 3       | 11          | 5         | 20     | 2           | 1.4        |
| A-5555-3883          | 626103-0303-030   | 3       | 21          | 5         | 30     | 2           | 1.5        |
| A-5004-3284          | 626103-0303-040   | 3       | 31          | 5         | 40     | 2           | 1.6        |



## Carbon fibre styli for 1/2 star styli XXT 90° thermostable with silicon nitride ball

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Silicon nitride           |
| Additional notes | Cup mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3884          | 626103-0313-020   | 3       | 11          | 5         | 20     | 2           | 1.4        |
| A-5555-3885          | 626103-0313-030   | 3       | 21          | 5         | 30     | 2           | 1.5        |
| A-5555-3886          | 626103-0313-040   | 3       | 31          | 5         | 40     | 2           | 1.6        |



## Carbon fibre styli for 1/2 star styli XXT 180° thermostable

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Ruby                      |
| Additional notes | Peg mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3887          | 626103-0304-020   | 3       | 11          | 5         | 20     | 2           | 1.4        |
| A-5555-3888          | 626103-0304-030   | 3       | 21          | 5         | 30     | 2           | 1.5        |
| A-5004-0654          | 626103-0304-040   | 3       | 31          | 5         | 40     | 2           | 1.6        |



## Carbon fibre styli for 1/2 star styli XXT 180° thermostable with silicon nitride ball

|                  |                           |
|------------------|---------------------------|
| Thread           | M3                        |
| Base             | Titanium                  |
| Stem             | Thermostable carbon fibre |
| Ball             | Silicon nitride           |
| Additional notes | Cup mounted               |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-3889          | 626103-0314-020   | 3       | 11          | 5         | 20     | 2           | 1.4        |
| A-5555-3890          | 626103-0314-030   | 3       | 21          | 5         | 30     | 2           | 1.5        |
| A-5555-3891          | 626103-0314-040   | 3       | 31          | 5         | 40     | 2           | 1.6        |



## Carbon fibre extension XXT

|           |                           |
|-----------|---------------------------|
| Thread    | M3                        |
| Extension | Thermostable carbon fibre |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-3892          | 626103-5020-000   | 5         | 20     | 1.2        |
| A-5555-1947          | 626103-5025-000   | 5         | 25     | 1.25       |
| A-5004-3430          | 626103-5030-000   | 5         | 30     | 1.3        |
| A-5555-3893          | 626103-5040-000   | 5         | 40     | 1.4        |
| A-5004-0002          | 626103-5050-000   | 5         | 50     | 1.5        |
| A-5555-3894          | 626103-5060-000   | 5         | 60     | 1.7        |
| A-5555-1948          | 626103-5075-000   | 5         | 75     | 1.7        |
| A-5004-2001          | 626103-5080-000   | 5         | 80     | 1.8        |
| A-5004-1859          | 626103-5100-000   | 5         | 100    | 2.0        |
| A-5555-3895          | 626103-5130-000   | 5         | 130    | 2.5        |
| A-5555-1276          | 626103-5150-000   | 5         | 150    | 2.7        |



## Adaptor plate VAST XXT TL1

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Thread           | M3                                                            |
| Material         | Aluminium                                                     |
| Additional notes | TL1 has two adjacent carbide spheres and fits TL1 probe heads |


| Renishaw part number | ZEISS part number | Number of pieces |
|----------------------|-------------------|------------------|
| A-5555-1235          | 620161-8055-000   | 1                |



## Reference adaptor plate VAST XXT TL1

|          |           |
|----------|-----------|
| Thread   | M3        |
| Material | Aluminium |


| Renishaw part number | ZEISS part number | Number of pieces |
|----------------------|-------------------|------------------|
| A-5555-1236          | 620161-8058-000   | 1                |



## Adaptor plate VAST XXT TL1 with star adaptor

|          |           |
|----------|-----------|
| Thread   | M3        |
| Material | Aluminium |

| Renishaw part number | ZEISS part number | L (mm) | Number of pieces | Weight (g) |
|----------------------|-------------------|--------|------------------|------------|
| A-5555-1241          | 626103-8031-055   | 55     | 1                | 6.3        |



## Adaptor plate for XXT TL2

|          |           |
|----------|-----------|
| Thread   | M3        |
| Material | Aluminium |

| Renishaw part number | ZEISS part number | L (mm) | Number of pieces | Weight (g) |
|----------------------|-------------------|--------|------------------|------------|
| A-5555-1237          | 620161-8065-000   | 75     | 1                | 5.4        |



## Reference adaptor plate for XXT TL2

|          |           |
|----------|-----------|
| Thread   | M3        |
| Material | Aluminium |


| Renishaw part number | ZEISS part number | L (mm) | Number of pieces | Weight (g) |
|----------------------|-------------------|--------|------------------|------------|
| A-5555-1238          | 620161-8068-000   | 75     | 1                | 5.4        |



## Adaptor plate VAST XXT TL3

|                  |                                                                     |
|------------------|---------------------------------------------------------------------|
| Thread           | M3                                                                  |
| Material         | Aluminium                                                           |
| Additional notes | TL3 plate has two separated carbide spheres and fits TL3 probe head |


| Renishaw part number | ZEISS part number | Number of pieces |
|----------------------|-------------------|------------------|
| A-5555-1239          | 620161-8075-000   | 1                |



## Reference adaptor plate VAST XXT TL3

|          |           |
|----------|-----------|
| Thread   | M3        |
| Material | Aluminium |

| Renishaw part number | ZEISS part number | Number of pieces |
|----------------------|-------------------|------------------|
| A-5555-1240          | 620161-8078-000   | 1                |



## Adaptor plate VAST XXT TL3 star

|          |           |
|----------|-----------|
| Thread   | M3        |
| Material | Aluminium |


| Renishaw part number | ZEISS part number | L (mm) | Number of pieces | Weight (g) |
|----------------------|-------------------|--------|------------------|------------|
| A-5555-1242          | 626103-8033-055   | 55     | 1                | 6.3        |



## Clamping screw XXT

|          |          |
|----------|----------|
| Thread   | M3       |
| Material | Titanium |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5004-1856          | 626103-6110-004   | 5         | 8      | 0.5        |



## Clamping screw XXT with internal M3 thread

|          |          |
|----------|----------|
| Thread   | M3       |
| Material | Titanium |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5004-1857          | 626103-6110-005   | 5         | 8      | 0.7        |



## Cube XXT 90°, 1-way

|          |          |
|----------|----------|
| Thread   | M3       |
| Material | Titanium |


| Renishaw part number | ZEISS part number | L (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|--------|------------|------------|
| A-5004-3437          | 626103-6110-001   | 6.5    | 5          | 0.64       |



## Cube XXT 180°, 2-way

|          |          |
|----------|----------|
| Thread   | M3       |
| Material | Titanium |


| Renishaw part number | ZEISS part number | L (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|--------|------------|------------|
| A-5555-3896          | 626103-6110-002   | 13     | 5          | 1.05       |



## Cube XXT star

|          |          |
|----------|----------|
| Thread   | M3       |
| Material | Titanium |


| Renishaw part number | ZEISS part number | L<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|-----------|---------------|---------------|
| A-5004-3185          | 626103-6110-003   | 13        | 5             | 1.8           |



## Cube XXT, 6-star

|          |          |
|----------|----------|
| Thread   | M3       |
| Material | Titanium |


| Renishaw part number | ZEISS part number | DG/D<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|--------------|---------------|---------------|
| A-5555-3898          | 626103-6110-006   | 12           | 5             | 1.79          |



## Cube XXT, 8-star

|          |          |
|----------|----------|
| Thread   | M3       |
| Material | Titanium |


| Renishaw part number | ZEISS part number | DG/D<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|--------------|---------------|---------------|
| A-5555-3899          | 626103-6110-007   | 14           | 5             | 2.31          |



# Knuckle XXT

|          |          |
|----------|----------|
| Thread   | M3       |
| Material | Titanium |


| Renishaw part number | ZEISS part number | L<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|-----------|---------------|---------------|
| A-5004-3285          | 626103-6180-001   | 10        | 5             | 1.65          |



## Carbide styli

|                  |                  |
|------------------|------------------|
| Thread           | M3               |
| Base             | Stainless steel  |
| Stem             | Tungsten carbide |
| Ball             | Ruby             |
| Additional notes | Peg mounted      |

| Renishaw part number | ZEISS part number | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | Weight<br>(g) |
|----------------------|-------------------|------------|----------------|--------------|-----------|----------------|---------------|
| A-5555-2446          | –                 | 0.2        | 2.3/9.0        | 4.0          | 22.0      | 0.18/1.0       | 1.0           |
| A-5555-2447          | –                 | 0.25       | 2.3/9.0        | 4.0          | 22.0      | 0.18/1.0       | 1.0           |
| A-5555-0273          | 602030-8121-000   | 0.3        | 2.3/9.0        | 4.0          | 22.0      | 0.2/1.0        | 1.0           |
| A-5555-0267          | 602030-8115-000   | 0.5        | 2.5/11.25      | 4.0          | 21.25     | 0.3/1.0        | 1.0           |
| A-5555-0268          | 602030-8116-000   | 0.6        | 4.6/9.0        | 4.0          | 22.0      | 0.4/1.0        | 1.0           |
| A-5555-0269          | 602030-8117-000   | 0.8        | 4.8/9.0        | 4.0          | 22.0      | 0.6/1.0        | 1.0           |
| A-5555-0272          | 602030-8120-000   | 1.0        | 5.0/5.5        | 4.0          | 10.5      | 0.8/1.0        | 1.0           |
| A-5555-0270          | 602030-8118-000   | 1.0        | 5.0/9.0        | 4.0          | 22.0      | 0.8/1.0        | 1.0           |
| A-5555-0271          | 602030-8119-000   | 1.5        | 9.0            | 4.0          | 22.0      | 1.0            | 1.0           |
| A-5555-0274          | 602030-8023-000   | 2.0        | 15.0           | 4.0          | 21.0      | 1.0            | 1.0           |
| A-5555-0261          | 602030-8104-000   | 2.0        | 14.0           | 4.0          | 22.0      | 1.0            | 1.0           |
| A-5555-2448          | –                 | 2.0        | 34.0           | 4.0          | 40.0      | 1.5            | 1.0           |
| A-5555-0277          | 602030-8106-000   | 3.0        | 13.0           | 4.0          | 21.0      | 2.0            | 1.0           |
| A-5555-0276          | 602030-8021-000   | 3.0        | 15.5           | 4.0          | 21.5      | 1.5            | 1.0           |
| A-5555-0262          | 602030-8113-000   | 3.0        | 21.5           | 5.5          | 40.0      | 2.0            | 4.0           |
| A-5004-4513          | –                 | 3.0        | 31.5           | 5.5          | 50.0      | 2.0            | 4.5           |




| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-2449          | –                 | 4.0     | 22.0        | 4.0       | 30.0   | 2.0         | 2.0        |
| A-5004-2785          | –                 | 4.0     | 32.0        | 4.0       | 40.0   | 2.0         | 2.0        |
| A-5004-1008          | –                 | 4.0     | 42.0        | 4.0       | 50.0   | 2.0         | 2.9        |
| A-5555-2450          | –                 | 5.0     | 22.0        | 4.0       | 30.0   | 2.0         | 2.1        |
| A-5555-2451          | –                 | 5.0     | 32.0        | 4.0       | 40.0   | 2.0         | 2.0        |
| A-5555-2452          | –                 | 5.0     | 42.0        | 4.0       | 50.0   | 2.0         | 3.0        |
| A-5555-2453          | –                 | 5.0     | 52.0        | 4.0       | 60.0   | 2.0         | 3.5        |
| A-5555-2454          | –                 | 6.0     | 22.0        | 4.0       | 30.0   | 2.0         | 2.3        |
| A-5004-6728          | –                 | 6.0     | 32.0        | 4.0       | 40.0   | 2.0         | 2.7        |
| A-5555-1118          | –                 | 6.0     | 42.0        | 4.0       | 50.0   | 2.0         | 3.2        |

## Ceramic styli

|                  |                 |
|------------------|-----------------|
| Thread           | M3              |
| Base             | Stainless steel |
| Stem             | Ceramic         |
| Ball             | Ruby            |
| Additional notes | Peg mounted     |

| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-0264          | 602030-8102-000   | 4       | 26.0        | 4         | 32.0   | 2           | 1.0        |
| A-5555-0266          | 602030-8101-000   | 5       | 24.5        | 4         | 32.5   | 2           | 1.0        |
| A-5555-0275          | 602030-8020-000   | 6       | 9.0         | 4         | 13.0   | 2           | 1.0        |
| A-5004-4757          | –                 | 6       | 30.5        | 4         | 43.5   | 2           | 1.2        |
| A-5004-2741          | –                 | 6       | 50.5        | 4         | 63.5   | 2           | 1.5        |
| A-5555-2455          | –                 | 8       | 18.5        | 4         | 31.5   | 2           | 1.3        |





## Cylinder styli

|          |                  |
|----------|------------------|
| Thread   | M3               |
| Base     | Stainless steel  |
| Stem     | Tungsten carbide |
| Cylinder | Carbide          |

| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5004-0254          | 602030-8097-000   | 1.5     | 1.5         | 4         | 11     | 1.0         | 0.4        |
| A-5004-0255          | 602030-8099-000   | 3.0     | 4.0         | 4         | 13     | 1.5         | 0.7        |

|          |                  |
|----------|------------------|
| Thread   | M3               |
| Base     | Stainless steel  |
| Stem     | Tungsten carbide |
| Cylinder | Ruby             |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5004-0256          | 602030-8107-000   | 2       | 7           | 4         | 21     | 1           | 0.7        |



# Extension

|          |                 |
|----------|-----------------|
| Thread   | M3              |
| Material | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5004-7609          | 602030-8301-000   | 4         | 10     | 0.7        |
| A-5004-7583          | 602030-8302-000   | 4         | 20     | 1.6        |
| A-5555-0286          | 602030-8303-000   | 4         | 30     | 2.6        |
| A-5555-0287          | 602030-8304-000   | 4         | 40     | 3.7        |
| A-5555-0288          | 602030-8305-000   | 4         | 50     | 4.7        |



# 5-way styli holder, rotary

|          |                 |
|----------|-----------------|
| Thread   | M3              |
| Material | Stainless steel |


| Renishaw part number | ZEISS part number | L (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|--------|------------|------------|
| A-5555-0303          | 602030-8382-000   | 11.5   | 12         | 4.2        |



# Holder for styli 90°

|          |                 |
|----------|-----------------|
| Thread   | M3              |
| Material | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|-------------|------------|
| A-5004-4561          | –                 | 4         | 30     | 1.0         | 2.9        |
| A-5555-2456          | –                 | 4         | 30     | 1.5         | 2.9        |



## Rotary knuckle

|          |                 |
|----------|-----------------|
| Thread   | M3              |
| Material | Stainless steel |


| Renishaw part number | ZEISS part number | L (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|--------|------------|------------|
| A-5000-7616          | 602030-9102-000   | 12     | 6          | 3.6        |



## Adaptor

|          |                 |
|----------|-----------------|
| Thread   | M3/M2           |
| Material | Stainless steel |

| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Thread from/to | Weight (g) |
|----------------------|-------------------|-----------|--------|----------------|------------|
| A-5004-7592          | 602030-8341-000   | 4         | 5      | M3/M2          | 0.5        |
| A-5555-0306          | 602030-8345-000   | 4         | 5      | M2/M3          | 0.5        |
| A-5555-2457          | 000000-1049-178   | 4         | 7      | M2/M3          | 0.5        |




## Renishaw tools and accessories for assembly of M2, M3 and M5 styli to ZEISS measuring probe heads

### Stylus tool

|          |                 |
|----------|-----------------|
| Thread   | M2 and M3       |
| Material | Stainless steel |

| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5555-0233          | 602030-0001-000   | 1.2       | 23     | 1          |



# Stylus assembly tool

|          |                 |
|----------|-----------------|
| Thread   | M3              |
| Material | Stainless steel |

| Renishaw part number | ZEISS part number |
|----------------------|-------------------|
| A-5555-0307          | 000000-1018-201   |



# Allen keys

|          |       |
|----------|-------|
| Material | Steel |
|----------|-------|

| Renishaw part number | ZEISS part number | EAL/B (mm) |
|----------------------|-------------------|------------|
| A-5555-0235          | 602030-0042-000   | 0.9        |
| A-5555-0234          | 602030-0002-000   | 1.5        |
| A-5555-0328          | 000000-0015-245   | 2.0        |
| A-5555-0236          | 602030-0021-000   | 2.5        |
| A-5555-2458          | 000000-0015-247   | 3.0        |
| A-5555-2459          | 000000-0015-248   | 4.0        |
| A-5555-2460          | –                 | 5.0        |
| A-5555-2461          | –                 | 10.0       |




## Renishaw M2 styli, adaptors and accessories for ZEISS analogue probe systems

### Carbide styli

|                  |                                                       |
|------------------|-------------------------------------------------------|
| Thread           | M2                                                    |
| Base             | Stainless steel                                       |
| Stem             | Tungsten carbide                                      |
| Ball             | Ruby                                                  |
| Additional notes | Peg mounted except for ball diameters 0.2 mm – 0.6 mm |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5004-5753          | –                 | 0.2     | 2.3/12.5    | 3         | 17.0   | 0.18/1.0    | 0.4        |
| A-5555-2462          | –                 | 0.25    | 2.3/12.5    | 3         | 17.0   | 0.18/1.0    | 0.4        |
| A-5555-9159          | –                 | 0.3     | 2.3/13.5    | 3         | 18.0   | 0.2/1.0     | 0.4        |
| A-5555-1101          | –                 | 0.5     | 2.5/13.5    | 3         | 18.0   | 0.3/1.0     | 0.4        |
| A-5555-9161          | –                 | 0.6     | 4.6/13.8    | 3         | 18.3   | 0.4/1.0     | 0.4        |
| A-5555-9162          | –                 | 0.8     | 4.8/13.8    | 3         | 18.3   | 0.6/1.0     | 0.4        |
| A-5555-0308          | 602030-8006-000   | 1.0     | 6.5         | 3         | 10.5   | 0.8         | 0.3        |
| A-5555-0309          | –                 | 1.0     | 11.5        | 3         | 15.5   | 0.8         | 0.3        |
| A-5555-2463          | –                 | 1.0     | 5.0/14.0    | 3         | 18.5   | 0.8/1.0     | 0.4        |
| A-5555-0282          | 602030-8001-000   | 2.0     | 5.0         | 3         | 11.0   | 1.0         | 1.0        |
| A-5555-0310          | 602030-8008-000   | 2.0     | 7.0         | 3         | 11.0   | 1.0         | 1.0        |
| A-5555-0311          | 602030-8009-000   | 2.0     | 12.0        | 3         | 16.0   | 1.0         | 1.0        |
| A-5003-3822          | 602030-8005-000   | 2.0     | 15.0        | 3         | 21.0   | 1.0         | 1.0        |
| A-5555-2465          | –                 | 2.5     | 6.0         | 3         | 12.0   | 1.5         | 1.0        |
| A-5555-2466          | –                 | 3.0     | 6.0         | 3         | 12.0   | 2.0         | 1.0        |
| A-5003-0938          | 602030-8003-000   | 3.0     | 15.5        | 3         | 21.5   | 1.5         | 1.0        |
| A-5555-0312          | 602030-8015-000   | 4.0     | 6.0         | 3         | 12.0   | 2.0         | 1.0        |
| A-5555-0313          | 602030-8016-000   | 4.0     | 16.0        | 3         | 22.0   | 2.0         | 1.0        |
| A-5555-0283          | 602030-8034-000   | 5.0     | 16.5        | 3         | 22.5   | 2.0         | 1.0        |



# Ceramic styli

|                  |                 |
|------------------|-----------------|
| Thread           | M2              |
| Base             | Stainless steel |
| Stem             | Ceramic         |
| Ball             | Ruby            |
| Additional notes | Peg mounted     |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-2467          | –                 | 4       | 12.0        | 3         | 16.0   | 2           | 0.8        |
| A-5555-2468          | –                 | 4       | 30.0        | 3         | 36.0   | 2           | 1.0        |
| A-5555-2469          | –                 | 5       | 10.0        | 3         | 14.0   | 2           | 0.8        |
| A-5555-0279          | –                 | 5       | 16.5        | 3         | 22.5   | 2           | 1.0        |
| A-5555-2470          | –                 | 5       | 32.0        | 3         | 38.0   | 2           | 1.0        |
| A-5555-0278          | 602030-8002-000   | 6       | 9.0         | 3         | 13.0   | 2           | 1.0        |



## Stainless steel styli

|                  |                 |
|------------------|-----------------|
| Thread           | M2              |
| Base             | Stainless steel |
| Stem             | Stainless steel |
| Ball             | Ruby            |
| Additional notes | Peg mounted     |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-2471          | –                 | 4       | 32.0        | 3         | 32.0   | 3           | 1.7        |
| A-5555-2472          | –                 | 4       | 42.0        | 3         | 42.0   | 3           | 2.4        |
| A-5555-2473          | –                 | 4       | 52.0        | 3         | 52.0   | 3           | 2.9        |
| A-5555-2474          | –                 | 5       | 22.0        | 3         | 22.0   | 3           | 1.3        |
| A-5555-2475          | –                 | 5       | 32.0        | 3         | 32.0   | 3           | 1.9        |
| A-5555-2476          | –                 | 5       | 42.5        | 3         | 42.5   | 3           | 2.5        |
| A-5555-2477          | –                 | 5       | 52.5        | 3         | 52.5   | 3           | 3.1        |
| A-5555-0314          | –                 | 6       | 13.0        | 3         | 13.0   | 3           | 0.9        |
| A-5555-0315          | –                 | 6       | 28.0        | 3         | 28.0   | 3           | 1.8        |
| A-5555-0316          | –                 | 8       | 13.0        | 3         | 1.03   | 3           | 2.0        |



## Star styli

|                  |                 |
|------------------|-----------------|
| Thread           | M2              |
| Base             | Stainless steel |
| Stem             | Stainless steel |
| Ball             | Ruby            |
| Additional notes | Peg mounted     |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | L (mm) | DS1/DS (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|--------|-------------|------------|------------|
| A-5555-0295          | 602030-8010-000   | 2       | 4.5         | 22     | 1.4         | 5.5        | 1          |
| A-5555-0294          | 602030-8011-000   | 2       | 9.5         | 32     | 1.4         | 5.5        | 1          |



### Styli for star configuration

|                  |                 |
|------------------|-----------------|
| Thread           | M2              |
| Base             | Stainless steel |
| Stem             | Stainless steel |
| Ball             | Ruby            |
| Additional notes | Peg mounted     |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5555-0296          | 602030-8012-000   | 2       | 13.5        | 3         | 19.5   | 1.5         | 1          |



### Spherical disc styli

|        |                  |
|--------|------------------|
| Thread | M2               |
| Base   | Stainless steel  |
| Stem   | Tungsten carbide |
| Disc   | Ceramic          |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|------------|
| A-5555-0298          | 602030-8202-000   | 4       | 19          | 3         | 32     | 1.0         | 1.0        | 1          |
| A-5555-0297          | 602030-8201-000   | 8       | 19          | 3         | 32     | 1.5         | 1.5        | 1          |



## Spherical disc styli

|        |                 |
|--------|-----------------|
| Thread | M2              |
| Base   | Stainless steel |
| Stem   | Stainless steel |
| Disc   | Ceramic         |

| Renishaw part number | ZEISS part number | DK (mm) | L (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|---------|--------|------------|------------|
| A-5555-0299          | 602030-8203-000   | 14      | 5.5    | 2.0        | 1          |
| A-5555-0300          | 602030-8204-000   | 20      | 5.5    | 2.5        | 3          |





## Cylinder styli

|          |                  |
|----------|------------------|
| Thread   | M2               |
| Base     | Stainless steel  |
| Stem     | Tungsten carbide |
| Cylinder | Tungsten carbide |

| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5004-0936          | 602030-8096-000   | 1.5     | 1.5         | 3         | 11     | 1.0         | 0.3        |
| A-5004-0937          | 602030-8098-000   | 3.0     | 4.0         | 3         | 13     | 1.5         | 0.6        |

|          |                  |
|----------|------------------|
| Thread   | M2               |
| Base     | Stainless steel  |
| Stem     | Tungsten carbide |
| Cylinder | Ruby             |


| Renishaw part number | ZEISS part number | DK (mm) | ML1/ML (mm) | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|---------|-------------|-----------|--------|-------------|------------|
| A-5004-0182          | 602030-8100-000   | 2       | 7           | 3         | 21     | 1           | 0.6        |



# Extension

|          |                 |
|----------|-----------------|
| Thread   | M2              |
| Material | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5004-7610          | 602030-8321-000   | 3         | 5      | 0.2        |
| A-5004-7585          | 602030-8322-000   | 3         | 10     | 0.5        |
| A-5004-7586          | 602030-8323-000   | 3         | 20     | 1.0        |
| A-5004-7591          | 602030-8324-000   | 3         | 30     | 1.4        |
| A-5555-1308          | –                 | 3         | 35     | 1.8        |
| A-5004-7611          | 602030-8325-000   | 3         | 40     | 2.2        |
| A-5555-2481          | –                 | 3         | 50     | 2.7        |



# 5-way styli holder, rotary

|          |                 |
|----------|-----------------|
| Thread   | M2              |
| Material | Stainless steel |


| Renishaw part number | ZEISS part number | L (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|--------|------------|------------|
| A-5000-3627          | 602030-8381-000   | 7.5    | 7          | 1.2        |



## 5-way styli holder, small/large

|          |                 |
|----------|-----------------|
| Thread   | M2              |
| Material | Stainless steel |


| Renishaw part number | ZEISS part number | L (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|--------|------------|------------|
| A-5555-0320          | 602030-9103-000   | 5.4    | 7.0        | 1.0        |
| A-5555-0319          | 602030-9104-000   | 9.1    | 10.5       | 3.4        |



## Holder for styli 90°

|          |                 |
|----------|-----------------|
| Thread   | M2              |
| Material | Stainless steel |


| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | DS1/DS (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|-------------|------------|
| A-5555-2478          | —                 | 3         | 30     | 1.0         | 2.9        |
| A-5555-2479          | —                 | 3         | 30     | 1.5         | 2.9        |



## Rotary knuckle

|          |                 |
|----------|-----------------|
| Thread   | M2              |
| Material | Stainless steel |


| Renishaw part number | ZEISS part number | L (mm) | EAL/B (mm) | Weight (g) |
|----------------------|-------------------|--------|------------|------------|
| A-5000-7534          | 602030-9101-000   | 8      | 4.5        | 2          |



Rotary knuckle, slewing range 360°, swing range 180°

|          |                 |
|----------|-----------------|
| Thread   | M2              |
| Material | Stainless steel |

| Renishaw part number | ZEISS part number | DG/D (mm) | L (mm) | Weight (g) |
|----------------------|-------------------|-----------|--------|------------|
| A-5000-9902          | 602030-9105-000   | 4         | 16.5   | 1.5        |



# Index

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-1034-0124       | —               | 30         | —              | 24           | 145       | —              | —             | —             | —         | —                   | —                   | —          | —          | 22         | 36          |
| A-5000-3627       | 602030-8381-000 | —          | —              | —            | 7.5       | —              | 7             | 1.2           | —         | —                   | —                   | —          | —          | —          | 66          |
| A-5000-7534       | 602030-9101-000 | —          | —              | —            | 8         | —              | 4.5           | 2             | —         | —                   | —                   | —          | —          | —          | 67          |
| A-5000-7616       | 602030-9102-000 | —          | —              | —            | 12        | —              | 6             | 3.6           | —         | —                   | —                   | —          | —          | —          | 59          |
| A-5000-9902       | 602030-9105-000 | —          | —              | 4            | 16.5      | —              | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 68          |
| A-5003-0145       | —               | 1.5        | 8.0/20.0       | 11           | 30        | 1.0/1.5        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5003-0850       | —               | —          | —              | 11           | 20        | —              | —             | 5.7           | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5003-0938       | 602030-8003-000 | 3          | 15.5           | 3            | 21.5      | 1.5            | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5003-3822       | 602030-8005-000 | 2          | 15             | 3            | 21        | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5003-7499       | —               | 3.5        | 65             | 11           | 75        | 2.5            | —             | 6.5           | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5004-0002       | 626103-5050-000 | —          | —              | 5            | 50        | —              | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5004-0182       | 602030-8100-000 | 2          | 7              | 3            | 21        | 1              | —             | 0.6           | —         | —                   | —                   | —          | —          | —          | 65          |
| A-5004-0254       | 602030-8097-000 | 1.5        | 1.5            | 4            | 11        | 1              | —             | 0.4           | —         | —                   | —                   | —          | —          | —          | 57          |
| A-5004-0255       | 602030-8099-000 | 3          | 4              | 4            | 13        | 1.5            | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 57          |
| A-5004-0256       | 602030-8107-000 | 2          | 7              | 4            | 21        | 1              | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 57          |
| A-5004-0654       | 626103-0304-040 | 3          | 31             | 5            | 40        | 2              | —             | 1.6           | —         | —                   | —                   | —          | —          | —          | 47          |
| A-5004-0656       | 626113-0200-030 | 2          | 21             | 5            | 30        | 1              | —             | 0.83          | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5004-0802       | 626103-0300-033 | 3          | 24             | 5            | 33        | 2              | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5004-0803       | 626103-0300-050 | 3          | 41             | 5            | 50        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5004-0806       | 626103-0500-050 | 5          | 41             | 5            | 50        | 3.5            | —             | 1.4           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5004-0808       | 626103-0800-125 | 8          | 125            | 5            | 125       | 5              | —             | 2.9           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5004-0936       | 602030-8096-000 | 1.5        | 1.5            | 3            | 11        | 1              | —             | 0.3           | —         | —                   | —                   | —          | —          | —          | 65          |
| A-5004-0937       | 602030-8098-000 | 3          | 4              | 3            | 13        | 1.5            | —             | 0.6           | —         | —                   | —                   | —          | —          | —          | 65          |
| A-5004-1008       | —               | 4          | 42             | 4            | 50        | 2              | —             | 2.9           | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5004-1702       | 626113-0050-013 | 0.5        | 2.3/4.0        | 5            | 13        | 0.3/1.0        | —             | 0.61          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-1779       | 626113-0151-040 | 1.5        | 31             | 5            | 40        | 1              | —             | 1.6           | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5004-1856       | 626103-6110-004 | —          | —              | 5            | 8         | —              | —             | 0.5           | —         | —                   | —                   | —          | —          | —          | 51          |
| A-5004-1857       | 626103-6110-005 | —          | —              | 5            | 8         | —              | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 52          |
| A-5004-1858       | 626103-0500-075 | 5          | 68             | 5            | 75        | 3.5            | —             | 1.8           | —         | —                   | —                   | —          | —          | —          | 44          |
| A-5004-1859       | 626103-5100-000 | —          | —              | 5            | 100       | —              | —             | 2             | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5004-1861       | 626113-0200-020 | 2          | 11             | 5            | 20        | 1              | —             | 0.72          | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5004-1863       | 626113-0100-020 | 1          | 5.0/11         | 5            | 20        | 0.8/1.0        | —             | 0.69          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-1883       | 626113-0080-034 | 0.8        | 4.1/25         | 5            | 34        | 0.6/1.0        | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 41          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5004-1884       | 626103-0300-042 | 3          | 33             | 5            | 42        | 2              | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5004-2001       | 626103-5080-000 | —          | —              | 5            | 80        | —              | —             | 1.8           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5004-2108       | 626103-0500-030 | 5          | 21             | 5            | 30        | 3.5            | —             | 1.1           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5004-2109       | 626115-6110-003 | —          | —              | —            | —         | —              | 20            | 31.5          | —         | —                   | —                   | —          | —          | —          | 27          |
| A-5004-2185       | 626113-0030-020 | 0.3        | 2.3/11         | 5            | 20        | 0.2/1.0        | —             | 0.69          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-2186       | 626113-0050-013 | 0.5        | 2.3/11         | 5            | 20        | 0.3/1.0        | —             | 0.69          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-2741       | —               | 6          | 50.5           | 4            | 63.5      | 2              | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5004-2785       | —               | 4          | 32             | 4            | 40        | 2              | —             | 2             | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5004-2786       | 626103-0401-050 | 4          | 41             | 5            | 50        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5004-3176       | 626113-0030-013 | 0.3        | 2.3/4.0        | 5            | 13        | 0.2/1.0        | —             | 0.62          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-3179       | 626113-0060-020 | 0.6        | 4.6/11         | 5            | 20        | 0.4/1.0        | —             | 0.68          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-3185       | 626103-6110-003 | —          | —              | —            | 13        | —              | 5             | 1.8           | —         | —                   | —                   | —          | —          | —          | 53          |
| A-5004-3187       | 626113-0100-014 | 1          | 5              | 5            | 14        | 0.8            | —             | 0.63          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-3188       | 626113-0200-014 | 2          | 5              | 5            | 14        | 1              | —             | 0.66          | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5004-3272       | 626113-0150-014 | 1.5        | 5              | 5            | 14        | 1              | —             | 0.65          | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5004-3273       | 626113-0080-014 | 0.8        | 5              | 5            | 14        | 0.6            | —             | 0.62          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-3274       | 626113-0080-020 | 0.8        | 4.8/11         | 5            | 14        | 0.6/1.0        | —             | 0.69          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-3282       | 626103-0301-040 | 3          | 31             | 5            | 40        | 2              | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 44          |
| A-5004-3284       | 626103-0303-040 | 3          | 31             | 5            | 40        | 2              | —             | 1.6           | —         | —                   | —                   | —          | —          | —          | 46          |
| A-5004-3285       | 626103-6180-001 | —          | —              | —            | 10        | —              | 5             | 1.65          | —         | —                   | —                   | —          | —          | —          | 54          |
| A-5004-3427       | 626113-0100-030 | 1          | 5.0/21         | 5            | 30        | 0.8/1.0        | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-3428       | 626113-0250-040 | 2.5        | 31             | 5            | 40        | 1.5            | —             | 2             | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5004-3429       | 626103-0600-050 | 6          | 40             | 5            | 50        | 3.5            | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5004-3430       | 626103-5030-000 | —          | —              | 5            | 30        | —              | —             | 1.3           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5004-3437       | 626103-6110-001 | —          | —              | —            | 6.5       | —              | 5             | 0.64          | —         | —                   | —                   | —          | —          | —          | 52          |
| A-5004-3519       | 626113-0103-020 | 1          | 11             | 5            | 20        | 0.8            | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5004-4166       | —               | 1          | 5.0/20.0       | 11           | 30        | 0.8/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5004-4513       | —               | 3          | 31.5           | 5.5          | 50        | 2              | —             | 4.5           | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5004-4546       | 626103-0311-040 | 3          | 31             | 5            | 40        | 2              | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 45          |
| A-5004-4561       | —               | —          | —              | 4            | 30        | 1              | —             | 2.9           | —         | —                   | —                   | —          | —          | —          | 58          |
| A-5004-4635       | 626103-0801-070 | 8          | 70             | 5            | 70        | 5              | —             | 2.6           | —         | —                   | —                   | —          | —          | —          | 44          |
| A-5004-4653       | 626113-0150-020 | 1.5        | 11             | 5            | 20        | 1              | —             | 0.72          | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5004-4757       | —               | 6          | 30.5           | 4            | 43.5      | 2              | —             | 1.2           | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5004-5753       | —               | 0.2        | 2.3/12.5       | 3            | 17        | 0.18/1.0       | —             | 0.4           | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5004-6728       | —               | 6          | 32             | 4            | 40        | 2              | —             | 2.7           | —         | —                   | —                   | —          | —          | —          | 56          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5004-7583       | 602030-8302-000 | —          | —              | 4            | 20        | —              | —             | 1.6           | —         | —                   | —                   | —          | —          | —          | 58          |
| A-5004-7585       | 602030-8322-000 | —          | —              | 3            | 10        | —              | —             | 0.5           | —         | —                   | —                   | —          | —          | —          | 66          |
| A-5004-7586       | 602030-8323-000 | —          | —              | 3            | 20        | —              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 66          |
| A-5004-7591       | 602030-8324-000 | —          | —              | 3            | 30        | —              | —             | 1.4           | —         | —                   | —                   | —          | —          | —          | 66          |
| A-5004-7592       | 602030-8341-000 | —          | —              | 4            | 5         | —              | —             | 0.5           | —         | —                   | M3/M2               | —          | —          | —          | 59          |
| A-5004-7609       | 602030-8301-000 | —          | —              | 4            | 10        | —              | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 58          |
| A-5004-7610       | 602030-8321-000 | —          | —              | 3            | 5         | —              | —             | 0.2           | —         | —                   | —                   | —          | —          | —          | 66          |
| A-5004-7611       | 602030-8325-000 | —          | —              | 3            | 40        | —              | —             | 2.2           | —         | —                   | —                   | —          | —          | —          | 66          |
| A-5555-0013       | 600331-0001-000 | —          | —              | 18           | 10        | —              | —             | 12            | —         | —                   | —                   | —          | —          | —          | 35          |
| A-5555-0014       | 602030-0018-000 | —          | —              | 18           | 12        | —              | —             | 10            | —         | —                   | —                   | —          | —          | —          | 35          |
| A-5555-0018       | 602030-9010-000 | 3          | 15             | 11           | 25        | 2              | —             | 4             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-0019       | 600342-8020-000 | 3          | 23.5           | 11           | 33.5      | 2              | —             | 4.5           | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-0020       | 602030-9011-000 | 3          | 40             | 11           | 50        | 2              | —             | 5.2           | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-0021       | 600342-8021-000 | 3          | 48             | 11           | 58        | 2              | —             | 5.5           | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-0022       | 600342-8025-000 | 4          | 23.5           | 11           | 33.5      | 2              | —             | 4.5           | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-0024       | 602030-9013-000 | 5          | 40             | 11           | 50        | 3.5            | —             | 9             | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0025       | 600342-8022-000 | 5          | 43             | 11           | 53        | 3.5            | —             | 9.8           | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0026       | 602030-9015-000 | 5          | 65             | 11           | 75        | 3.5            | —             | 12.5          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0027       | 600342-8026-000 | 6          | 44             | 11           | 54        | 3.5            | —             | 10            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0028       | 600342-8027-000 | 7          | 45             | 11           | 55        | 3.5            | —             | 10            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0029       | 600342-8023-000 | 8          | 50.5           | 11           | 63.5      | 6              | —             | 24.8          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0030       | —               | 8          | 41.5           | 19           | 63.5      | 6              | —             | 36.7          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0031       | —               | 8          | 61             | 11           | 74        | 6              | —             | 29.5          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0032       | 602030-9016-000 | 8          | 62             | 11           | 75        | 6              | —             | 30            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0033       | 602030-9017-000 | 8          | 87             | 11           | 100       | 6              | —             | 40            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0034       | 600342-8024-000 | 8          | 101.5          | 11           | 114.5     | 6              | —             | 45.8          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0035       | 600342-8124-000 | 8          | 92.5           | 19           | 114.5     | 6              | —             | 57.5          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0036       | —               | 9          | 51.5           | 11           | 64.5      | 6              | —             | 26.3          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0037       | 600342-8128-000 | 9          | 42.5           | 19           | 64.5      | 6              | —             | 36.8          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0038       | 600342-8029-000 | 10         | 52.5           | 11           | 65.5      | 6              | —             | 25.8          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0039       | —               | 10         | 43.5           | 19           | 65.5      | 6              | —             | 37.8          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0040       | 602030-9018-000 | 10         | 105            | 11           | 118       | 6              | —             | 47.3          | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0041       | 600342-8013-000 | 5          | 43             | 11           | 53        | 3.5            | —             | 4.6           | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0042       | 600342-8016-000 | 6          | 44             | 11           | 54        | 3.5            | —             | 4.7           | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0043       | 600342-8017-000 | 7          | 45             | 11           | 55        | 3.5            | —             | 5             | —         | —                   | —                   | —          | —          | —          | 14          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-0044       | 600342-8014-000 | 8          | 50.5           | 11           | 63.5      | 6              | —             | 8.3           | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0045       | 600342-8018-000 | 9          | 51.5           | 11           | 64.5      | 6              | —             | 8.4           | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0046       | —               | 9          | 42.5           | 19           | 64.5      | 6              | —             | 21            | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0047       | 600342-8019-000 | 10         | 52.5           | 11           | 65.5      | 6              | —             | 9             | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0048       | —               | 10         | 43.5           | 19           | 65.5      | 6              | —             | 38            | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0049       | —               | 8          | 41.5           | 19           | 63.5      | 6              | —             | 33            | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0050       | 600342-8015-000 | 8          | 101.5          | 11           | 114.5     | 6              | —             | 11.8          | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0051       | —               | 8          | 92.5           | 19           | 114.5     | 6              | —             | 38            | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-0052       | 602030-8060-000 | 0.8        | 4.8/12.0       | 11           | 32        | 0.6/1.0        | —             | 6.8           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0053       | 602030-8061-000 | 1          | 5.0/12.0       | 11           | 32        | 0.8/1.0        | —             | 6.8           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0054       | 602030-8062-000 | 1.35       | 12             | 11           | 32        | 1              | —             | 6.9           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0055       | 602030-8063-000 | 1.35       | 19             | 11           | 44        | 1              | —             | 7.5           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0056       | 602030-8064-000 | 1.5        | 12             | 11           | 32        | 1              | —             | 6.5           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0057       | 602030-8065-000 | 1.5        | 19             | 11           | 44        | 1              | —             | 7.5           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0058       | 602030-8066-000 | 2          | 12             | 11           | 32        | 1.5            | —             | 7.3           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0059       | 602030-8067-000 | 2          | 19             | 11           | 44        | 1.5            | —             | 8             | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0060       | 602030-8068-000 | 2          | 33             | 11           | 58        | 1.5            | —             | 8             | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0061       | 602030-8069-000 | 2.5        | 12             | 11           | 32        | 1.5            | —             | 7.3           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0062       | 602030-8070-000 | 2.5        | 19             | 11           | 44        | 1.5            | —             | 8             | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0063       | 602030-8071-000 | 2.5        | 33             | 11           | 58        | 1.5            | —             | 8             | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-0064       | 602030-9019-000 | 1          | 5              | 11           | 55        | 0.8            | —             | 11.9          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0065       | 602030-9020-000 | 1.5        | 5              | 11           | 55        | 1              | —             | 11.9          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0066       | 602030-9021-000 | 2          | 5              | 11           | 55        | 1.5            | —             | 11.9          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0067       | —               | 2.5        | 5              | 11           | 55        | 2              | —             | 11.9          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0068       | 602030-9023-000 | 3.5        | 10             | 11           | 55        | 2.5            | —             | 11.9          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0069       | —               | 1          | 7              | —            | 45        | 0.8/2.0        | 15            | 17.3          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0070       | 602030-9025-000 | 1.5        | 7.5            | —            | 45        | 1.0/2.0        | 15            | 17.3          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0071       | —               | 2          | 7.5            | —            | 45        | 1.5/2.0        | 15            | 17.3          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0072       | 602030-9027-000 | 2.5        | 8              | —            | 45        | 1.5/2.0        | 15            | 17.3          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0073       | —               | 3.5        | 15             | —            | 45        | 2              | 15            | 17.3          | —         | —                   | —                   | —          | —          | —          | 16          |
| A-5555-0074       | —               | 1.35       | 9              | 11           | 40        | 1              | 2             | 11            | —         | —                   | —                   | —          | —          | —          | 24          |
| A-5555-0075       | —               | 2.3        | 12             | 11           | 40        | 1              | 2.5           | 13            | —         | —                   | —                   | —          | —          | —          | 24          |
| A-5555-0076       | —               | 1.8        | 10             | 11           | 40        | 1              | 2             | 12            | —         | —                   | —                   | —          | —          | —          | 24          |
| A-5555-0077       | —               | 0.8        | 5              | 11           | 40        | 0.6            | 1.9           | 7             | —         | —                   | —                   | —          | —          | —          | 24          |
| A-5555-0078       | 600342-8200-000 | 1.35       | 23.85          | 11           | 32.85     | 1              | —             | 6             | —         | —                   | —                   | —          | —          | —          | 17          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-0079       | 600342-8201-000 | 1.5        | 24             | 11           | 33        | 1              | —             | 7             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0080       | 600342-8202-000 | 2          | 24.5           | 11           | 33.5      | 1              | —             | 7             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0081       | 600342-8203-000 | 2.5        | 25             | 11           | 34        | 1.5            | —             | 7             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0082       | 600342-8221-000 | 3          | 16.5           | 19           | 34.5      | 2              | —             | 20            | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0083       | 600342-8222-000 | 5          | 25.5           | 19           | 43.5      | 3.5            | —             | 23            | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0084       | 600342-8250-000 | 0.3        | 2.3/12.8       | 11           | 21.8      | 0.2/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0085       | 600342-8251-000 | 0.5        | 2.5/13.0       | 11           | 22        | 0.3/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0086       | 600342-8252-000 | 0.6        | 4.6/13.1       | 11           | 22.1      | 0.4/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0087       | 600342-8253-000 | 0.8        | 4.8/13.3       | 11           | 22.3      | 0.6/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0088       | 600342-8254-000 | 1          | 5.0/13.5       | 11           | 22.5      | 0.8/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-0089       | 600341-0140-000 | —          | —              | 11           | —         | —              | 1.5           | 1             | —         | —                   | —                   | —          | —          | —          | 19          |
| A-5555-0090       | 600341-0141-000 | —          | —              | 19           | —         | —              | 2             | 4             | —         | —                   | —                   | —          | —          | —          | 19          |
| A-5555-0091       | 600341-0150-000 | —          | —              | 11           | —         | —              | 2             | 1             | —         | —                   | —                   | —          | —          | —          | 19          |
| A-5555-0092       | 600341-0151-000 | —          | —              | 19           | —         | —              | 4             | 7             | —         | —                   | —                   | —          | —          | —          | 19          |
| A-5555-0093       | 600341-0520-000 | —          | —              | 1            | 10        | —              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 19          |
| A-5555-0094       | 600341-0521-000 | —          | —              | 1.5          | 10        | —              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 19          |
| A-5555-0095       | 600341-0522-000 | —          | —              | 2            | 18        | —              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 19          |
| A-5555-0096       | 600341-0523-000 | —          | —              | 3.5          | 18        | —              | —             | 3             | —         | —                   | —                   | —          | —          | —          | 19          |
| A-5555-0099       | —               | —          | —              | 18           | 30        | —              | —             | 43            | —         | —                   | —                   | —          | —          | —          | 26          |
| A-5555-0104       | 600341-8160-000 | —          | —              | 11           | 45        | 1-1.5/6        | —             | 16            | —         | —                   | —                   | —          | —          | —          | 21          |
| A-5555-0105       | 600341-8367-000 | —          | —              | 11           | 10        | 1              | —             | 3.2           | —         | —                   | —                   | —          | —          | —          | 21          |
| A-5555-0106       | 600341-8368-000 | —          | —              | 11           | 10        | 1.5            | —             | 3.2           | —         | —                   | —                   | —          | —          | —          | 21          |
| A-5555-0107       | 600341-8454-000 | 1          | 5              | —            | 16        | 0.8/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0108       | 600341-8450-000 | 0.3        | 2.3            | —            | 15.3      | 0.2/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0109       | 600341-8451-000 | 0.5        | 2.5            | —            | 15.5      | 0.3/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0110       | 600341-8452-000 | 0.6        | 4.6            | —            | 15.6      | 0.4/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0111       | 600341-8453-000 | 0.8        | 4.8            | —            | 15.8      | 0.6/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0112       | 600341-8500-000 | 1.35       | —              | —            | 26.35     | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0113       | 600341-8501-000 | 1.5        | —              | —            | 26.5      | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0114       | 600341-8502-000 | 2          | —              | —            | 27        | 1.5            | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0115       | 600341-8503-000 | 2.5        | —              | —            | 27.5      | 1.5            | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0116       | 600341-8510-000 | 3          | —              | —            | 38        | 2              | —             | 2             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0117       | 600341-8511-000 | 5          | —              | —            | 45        | 3.5            | —             | 6             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-0118       | 600341-8180-000 | —          | —              | 11           | 40        | 1-1.5/6        | —             | 15            | —         | —                   | —                   | —          | —          | —          | 22          |
| A-5555-0118       | 626105-6901-001 | —          | —              | 11           | 40        | 1-1.5/6        | —             | 15            | —         | —                   | —                   | —          | —          | —          | 22          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-0119       | 600341-8183-000 | 1          | 5              | 1            | 17.5      | 0.8/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 22          |
| A-5555-0120       | 600341-8185-000 | 2          | 24.5           | 1.5          | 28.5      | 1.5            | —             | 1             | —         | —                   | —                   | —          | —          | —          | 22          |
| A-5555-0121       | 600341-8090-000 | 10         | —              | 7            | 21.5      | —              | 1.5           | 3             | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-0122       | 600341-8095-000 | 15         | —              | 10           | 21.5      | —              | 1.5           | 6             | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-0123       | 602030-8091-000 | 20         | —              | 7            | 60        | —              | 1             | 8             | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-0124       | 000000-1165-629 | 15         | —              | 7            | 40        | —              | 1             | 5             | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-0125       | 600341-8423-000 | —          | —              | 20           | 200       | —              | —             | 84.7          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0126       | 600341-8421-000 | —          | —              | 20           | 150       | —              | —             | 67.4          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0127       | 600341-8422-000 | —          | —              | 20           | 100       | —              | —             | 50.7          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0128       | 600341-8423-000 | —          | —              | 20           | 80        | —              | —             | 44.8          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0129       | 600341-8424-000 | —          | —              | 20           | 60        | —              | —             | 37.7          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0130       | 600341-8425-000 | —          | —              | 20           | 40        | —              | —             | 29            | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0131       | 600341-8265-000 | —          | —              | 11           | 120       | —              | —             | 30.9          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0132       | 600341-8264-000 | —          | —              | 11           | 100       | —              | —             | 25.6          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0133       | 600341-8263-000 | —          | —              | 11           | 80        | —              | —             | 20.6          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0134       | 600341-8262-000 | —          | —              | 11           | 60        | —              | —             | 15.4          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0135       | 600341-8261-000 | —          | —              | 11           | 40        | —              | —             | 10.3          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0136       | 600341-0260-000 | —          | —              | 11           | 100       | —              | —             | 73            | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0137       | 600341-0258-000 | —          | —              | 11           | 80        | —              | —             | 58            | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0138       | 600341-0256-000 | —          | —              | 11           | 60        | —              | —             | 42            | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0139       | 600341-0254-000 | —          | —              | 11           | 40        | —              | —             | 28            | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0140       | 600341-0252-000 | —          | —              | 11           | 20        | —              | —             | 13            | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0141       | 600341-0251-000 | —          | —              | 11           | 15        | —              | —             | 9             | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0142       | 600341-0250-000 | —          | —              | 11           | 10        | —              | —             | 6             | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0143       | 602030-9044-000 | —          | —              | 11           | 10        | —              | —             | 3.6           | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0144       | 602030-9045-000 | —          | —              | 11           | 15        | —              | —             | 5.7           | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0145       | 602030-9046-000 | —          | —              | 11           | 20        | —              | —             | 7.8           | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0146       | 602030-9047-000 | —          | —              | 11           | 25        | —              | —             | 9.7           | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0147       | 602030-9048-000 | —          | —              | 18           | 25        | —              | —             | 27.3          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0148       | 602030-9049-000 | —          | —              | 11           | 40        | —              | —             | 16.1          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0149       | 602030-9050-000 | —          | —              | 18           | 40        | —              | —             | 44.7          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0150       | 602030-9051-000 | —          | —              | 11           | 50        | —              | —             | 12.7          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0151       | 602030-9052-000 | —          | —              | 18           | 50        | —              | —             | 36.3          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0152       | 602030-9051-000 | —          | —              | 11           | 60        | —              | —             | 12.7          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0153       | 602030-9054-000 | —          | —              | 18           | 60        | —              | —             | 38.3          | —         | —                   | —                   | —          | —          | —          | 31          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-0154       | 602030-9055-000 | —          | —              | 11           | 75        | —              | —             | 15            | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0155       | 602030-9056-000 | —          | —              | 18           | 75        | —              | —             | 42.8          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0156       | 602030-9057-000 | —          | —              | 11           | 80        | —              | —             | 15.6          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0157       | 602030-9058-000 | —          | —              | 18           | 80        | —              | —             | 44.2          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0158       | 602030-9059-000 | —          | —              | 11           | 90        | —              | —             | 16.2          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0159       | 602030-9060-000 | —          | —              | 18           | 90        | —              | —             | 47.3          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0160       | 602030-9061-000 | —          | —              | 11           | 100       | —              | —             | 17.3          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0161       | 602030-9062-000 | —          | —              | 18           | 100       | —              | —             | 49.4          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0162       | 602030-9063-000 | —          | —              | 11           | 120       | —              | —             | 19.4          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0163       | 602030-9064-000 | —          | —              | 18           | 120       | —              | —             | 55.1          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0164       | 602030-9065-000 | —          | —              | 11           | 150       | —              | —             | 22.4          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0165       | 602030-9066-000 | —          | —              | 18           | 150       | —              | —             | 65            | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0166       | 602030-9067-000 | —          | —              | 18           | 200       | —              | —             | 79.3          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0167       | 602030-9068-000 | —          | —              | 18           | 250       | —              | —             | 92.4          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0168       | 602030-9069-000 | —          | —              | 18           | 300       | —              | —             | 107           | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0189       | 600341-8361-000 | —          | —              | —            | —         | —              | 15            | 12.6          | —         | —                   | —                   | —          | —          | —          | 27          |
| A-5555-0190       | 600341-8002-000 | —          | —              | —            | —         | —              | 20            | 31.5          | —         | —                   | —                   | —          | —          | —          | 27          |
| A-5555-0191       | 602030-8363-000 | —          | —              | —            | —         | —              | 15            | 7.5           | —         | —                   | —                   | —          | —          | —          | 28          |
| A-5555-0192       | 602030-8362-000 | —          | —              | —            | —         | —              | 20            | 20            | —         | —                   | —                   | —          | —          | —          | 28          |
| A-5555-0194       | —               | —          | —              | —            | 40        | —              | 20            | 64            | —         | —                   | —                   | —          | —          | —          | 30          |
| A-5555-0196       | 602030-0004-000 | 15         | —              | —            | —         | —              | 4             | 5             | —         | M5                  | —                   | —          | —          | —          | 26          |
| A-5555-0197       | 602030-0005-000 | 20         | —              | —            | —         | —              | 4             | 9             | —         | M5                  | —                   | —          | —          | —          | 26          |
| A-5555-0198       | 602030-0006-000 | 30         | —              | —            | —         | —              | 4             | 21            | —         | M5                  | —                   | —          | —          | —          | 26          |
| A-5555-0199       | 602030-0007-000 | 40         | —              | —            | —         | —              | 5             | 42            | —         | M5                  | —                   | —          | —          | —          | 26          |
| A-5555-0200       | 602030-0008-000 | 50         | —              | —            | —         | —              | 5             | 64            | —         | M5                  | —                   | —          | —          | —          | 26          |
| A-5555-0201       | 602030-0009-000 | 60         | —              | —            | —         | —              | 5             | 89            | —         | M5                  | —                   | —          | —          | —          | 26          |
| A-5555-0203       | 602030-0011-000 | 20         | —              | —            | —         | —              | 4             | 8             | —         | 8                   | —                   | —          | —          | —          | 26          |
| A-5555-0204       | 600341-0200-000 | 20         | —              | —            | —         | —              | 2             | 4             | —         | 8                   | —                   | —          | —          | —          | 26          |
| A-5555-0205       | 600341-0203-000 | 30         | —              | —            | —         | —              | 4             | 10            | —         | 8                   | —                   | —          | —          | —          | 26          |
| A-5555-0206       | 600341-0204-000 | 40         | —              | —            | —         | —              | 4             | 21            | —         | 8                   | —                   | —          | —          | —          | 26          |
| A-5555-0207       | 600341-0205-000 | 50         | —              | —            | —         | —              | 5             | 36            | —         | 8                   | —                   | —          | —          | —          | 26          |
| A-5555-0208       | 600341-0206-000 | 60         | —              | —            | —         | —              | 6             | 59            | —         | 8                   | —                   | —          | —          | —          | 26          |
| A-5555-0209       | —               | —          | 10             | 10           | 16        | —              | —             | 4             | —         | —                   | —                   | 1.8        | M4         | —          | 34          |
| A-5555-0210       | —               | —          | 10             | 10           | 16        | —              | —             | 4             | —         | —                   | —                   | 1.8        | M5         | —          | 34          |
| A-5555-0211       | —               | —          | 12             | 12           | 18        | —              | —             | 7             | —         | —                   | —                   | 1.8        | M6         | —          | 34          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-0212       | —               | —          | 12             | 15           | 20        | —              | —             | 13            | —         | —                   | —                   | 3          | M8         | —          | 34          |
| A-5555-0213       | —               | —          | 15             | 18           | 25        | —              | —             | 25            | —         | —                   | —                   | 3          | M10        | —          | 34          |
| A-5555-0214       | —               | —          | 15             | 20           | 25        | —              | —             | 33            | —         | —                   | —                   | 3          | M12        | —          | 34          |
| A-5555-0215       | 600331-8093-000 | 5          | —              | 19           | 80        | 3.5            | —             | 70            | —         | —                   | —                   | —          | —          | —          | 25          |
| A-5555-0216       | 600342-8051-000 | 30°        | 39             | 11           | 61        | 3.5            | —             | 12            | —         | —                   | —                   | —          | —          | —          | 24          |
| A-5555-0217       | —               | —          | —              | —            | 120       | —              | 20            | 87            | —         | —                   | —                   | —          | —          | —          | 30          |
| A-5555-0218       | 600342-9002-000 | —          | —              | 11           | 30        | —              | —             | 11.2          | —         | —                   | —                   | —          | —          | —          | 27          |
| A-5555-0219       | —               | —          | —              | 18           | 36        | —              | —             | 37.2          | —         | —                   | —                   | —          | —          | —          | 27          |
| A-5555-0221       | 600341-0210     | —          | 26             | —            | 35        | —              | —             | 9             | —         | —                   | —                   | —          | —          | —          | 34          |
| A-5555-0222       | 600341-0211     | —          | 21             | —            | 30        | —              | —             | 9             | —         | —                   | —                   | —          | —          | —          | 34          |
| A-5555-0223       | 600341-0212     | —          | 9              | —            | 17.5      | —              | —             | 7             | —         | —                   | —                   | —          | —          | —          | 34          |
| A-5555-0224       | —               | —          | 26             | —            | —         | —              | —             | 4             | —         | —                   | —                   | —          | —          | —          | 34          |
| A-5555-0225       | —               | —          | 21             | —            | —         | —              | —             | 3             | —         | —                   | —                   | —          | —          | —          | 34          |
| A-5555-0226       | 602030-0215-000 | —          | —              | 11           | 10        | —              | —             | 5.2           | —         | —                   | M5/M2               | —          | —          | —          | 35          |
| A-5555-0227       | 602030-0315-000 | —          | —              | 11           | 10        | —              | —             | 5.2           | —         | —                   | M5/M3               | —          | —          | —          | 35          |
| A-5555-0228       | —               | —          | —              | 11           | 10        | —              | —             | 5.2           | —         | —                   | M5/M4               | —          | —          | —          | 35          |
| A-5555-0231       | —               | —          | —              | 15.81        | 119       | —              | —             | 126           | M2        | —                   | —                   | —          | —          | —          | 35          |
| A-5555-0232       | 602030-9115-000 | —          | —              | 9.52         | 127       | —              | —             | 87            | M2        | —                   | —                   | —          | —          | —          | 35          |
| A-5555-0233       | 602030-0001-000 | —          | —              | 1.2          | 23        | —              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 59          |
| A-5555-0234       | 602030-0002-000 | —          | —              | —            | —         | —              | 1.5           | —             | —         | —                   | —                   | —          | —          | —          | 60          |
| A-5555-0235       | 602030-0042-000 | —          | —              | —            | —         | —              | 0.9           | —             | —         | —                   | —                   | —          | —          | —          | 60          |
| A-5555-0236       | 602030-0021-000 | —          | —              | —            | —         | —              | 2.5           | —             | —         | —                   | —                   | —          | —          | —          | 60          |
| A-5555-0238       | 600341-8596-000 | —          | —              | 2.9          | 70        | —              | —             | —             | —         | —                   | —                   | —          | —          | —          | 36          |
| A-5555-0240       | 000000-0015-323 | —          | —              | 2.9          | 70        | —              | —             | —             | —         | —                   | —                   | —          | —          | —          | 36          |
| A-5555-0251       | 600660-8251-000 | —          | —              | —            | —         | —              | —             | 144           | —         | —                   | —                   | —          | —          | —          | 38          |
| A-5555-0253       | 620660-8251-000 | —          | —              | —            | —         | —              | —             | 144           | —         | —                   | —                   | —          | —          | —          | 39          |
| A-5555-0255       | 600667-9601-000 | —          | —              | —            | —         | —              | —             | 153           | —         | —                   | —                   | —          | —          | —          | 38          |
| A-5555-0256       | 600667-9611-000 | —          | —              | —            | —         | —              | —             | 306           | —         | —                   | —                   | —          | —          | —          | 38          |
| A-5555-0258       | 626107-2000-940 | —          | —              | —            | —         | —              | —             | 130           | —         | —                   | —                   | —          | —          | —          | 38          |
| A-5555-0261       | 602030-8104-000 | 2          | 14             | 4            | 22        | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0262       | 602030-8113-000 | 3          | 21.5           | 5.5          | 40        | 2              | —             | 4             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0264       | 602030-8102-000 | 4          | 26             | 4            | 32        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-0266       | 602030-8101-000 | 5          | 24.5           | 4            | 32.5      | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-0267       | 602030-8115-000 | 0.5        | 2.5/11.25      | 4            | 21.25     | 0.3/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0268       | 602030-8116-000 | 0.6        | 4.6/9.0        | 4            | 22        | 0.4/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-0269       | 602030-8117-000 | 0.8        | 4.8/9.0        | 4            | 22        | 0.4/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0270       | 602030-8118-000 | 1          | 5.0/9.0        | 4            | 22        | 0.8/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0271       | 602030-8119-000 | 1.5        | 9              | 4            | 22        | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0272       | 602030-8120-000 | 1          | 5.0/5.5        | 4            | 10.5      | 0.8/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0273       | 602030-8121-000 | 0.3        | 2.3/9.0        | 4            | 22        | 0.2/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0274       | 602030-8023-000 | 2          | 15             | 4            | 21        | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0275       | 602030-8020-000 | 6          | 9              | 4            | 13        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-0276       | 602030-8021-000 | 3          | 15.5           | 4            | 21.5      | 1.5            | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0277       | 602030-8106-000 | 3          | 13             | 4            | 21        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-0278       | 602030-8002-000 | 6          | 9              | 3            | 13        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 62          |
| A-5555-0279       | —               | 5          | 16.5           | 3            | 22.5      | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 62          |
| A-5555-0282       | 602030-8001-000 | 2          | 5              | 3            | 11        | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-0283       | 602030-8034-000 | 5          | 16.5           | 3            | 22.5      | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-0286       | 602030-8303-000 | —          | —              | 4            | 30        | —              | —             | 2.6           | —         | —                   | —                   | —          | —          | —          | 58          |
| A-5555-0287       | 602030-8304-000 | —          | —              | 4            | 40        | —              | —             | 3.7           | —         | —                   | —                   | —          | —          | —          | 58          |
| A-5555-0288       | 602030-8305-000 | —          | —              | 4            | 50        | —              | —             | 4.7           | —         | —                   | —                   | —          | —          | —          | 58          |
| A-5555-0294       | 602030-8011-000 | 2          | 9.5            | —            | 32        | 1.4            | 5.5           | 1             | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-0295       | 602030-8010-000 | 2          | 4.5            | —            | 22        | 1.4            | 5.5           | 1             | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-0296       | 602030-8012-000 | 2          | 13.5           | 3            | 19.5      | 1.5            | —             | 1             | —         | —                   | —                   | —          | —          | —          | 64          |
| A-5555-0297       | 602030-8201-000 | 8          | 19             | 3            | 32        | 1.5            | 1.5           | 1             | —         | —                   | —                   | —          | —          | —          | 64          |
| A-5555-0298       | 602030-8202-000 | 4          | 19             | 3            | 32        | 1              | 1             | 1             | —         | —                   | —                   | —          | —          | —          | 64          |
| A-5555-0299       | 602030-8203-000 | 14         | —              | —            | 5.5       | —              | 2             | 1             | —         | —                   | —                   | —          | —          | —          | 65          |
| A-5555-0300       | 602030-8204-000 | 20         | —              | —            | 5.5       | —              | 2.5           | 3             | —         | —                   | —                   | —          | —          | —          | 65          |
| A-5555-0303       | 602030-8382-000 | —          | —              | —            | 11.5      | —              | 12            | 4.2           | —         | —                   | —                   | —          | —          | —          | 58          |
| A-5555-0306       | 602030-8345-000 | —          | —              | 4            | 5         | —              | —             | 0.5           | —         | —                   | M2/M3               | —          | —          | —          | 59          |
| A-5555-0307       | 000000-1018-201 | —          | —              | —            | —         | —              | —             | —             | —         | —                   | —                   | —          | —          | —          | 60          |
| A-5555-0308       | 602030-8006-000 | 1          | 6.5            | 3            | 10.5      | 0.8            | —             | 0.3           | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-0309       | —               | 1          | 11.5           | 3            | 15.5      | 0.8            | —             | 0.3           | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-0310       | 602030-8008-000 | 2          | 7              | 3            | 16        | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-0311       | 602030-8009-000 | 2          | 12             | 3            | 16        | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-0312       | 602030-8015-000 | 4          | 6              | 3            | 12        | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-0313       | 602030-8016-000 | 4          | 16             | 3            | 22        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-0314       | —               | 6          | 13             | 3            | 13        | 3              | —             | 0.9           | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-0315       | —               | 6          | 28             | 3            | 28        | 3              | —             | 1.8           | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-0316       | —               | 8          | 13             | 3            | 13        | 3              | —             | 2             | —         | —                   | —                   | —          | —          | —          | 63          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-0319       | 602030-9104-000 | —          | —              | —            | 9.1       | —              | 10.5          | 3.4           | —         | —                   | —                   | —          | —          | —          | 67          |
| A-5555-0320       | 602030-9103-000 | —          | —              | —            | 5.4       | —              | 7             | 1             | —         | —                   | —                   | —          | —          | —          | 67          |
| A-5555-0322       | —               | —          | —              | —            | —         | —              | —             | 72            | —         | —                   | —                   | —          | —          | —          | 38          |
| A-5555-0328       | 000000-0015-245 | —          | —              | —            | —         | —              | 2             | —             | —         | —                   | —                   | —          | —          | —          | 60          |
| A-5555-0329       | 626115-0150-033 | 1.5        | 24             | 11           | 33        | 1              | —             | 7             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-0331       | 626115-0030-022 | 0.3        | 2.3/12.8       | 11           | 21.8      | 0.2/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-0410       | 626105-0510-100 | 5          | 90             | 11           | 100       | 3.5            | —             | 5.4           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-0424       | 626107-1150-100 | —          | —              | 11           | 150       | —              | —             | 17            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0425       | 626107-1120-100 | —          | —              | 11           | 120       | —              | —             | 15            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0427       | 626107-2250-100 | —          | —              | 20           | 250       | —              | —             | 55            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0498       | 612030-9661-000 | 4.5        | 43             | 11           | 53        | 3.5            | —             | 8             | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0619       | —               | —          | —              | 11           | 35        | —              | —             | 13.9          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0620       | 626107-2040-100 | —          | —              | 20           | 40        | —              | —             | 26            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0621       | 626107-2080-100 | —          | —              | 20           | 80        | —              | —             | 32            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0623       | 626107-1070-100 | —          | —              | 11           | 70        | —              | —             | 11            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0642       | 626107-1300-100 | —          | —              | 11           | 300       | —              | —             | 27            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0643       | 626105-1020-150 | 10         | 137            | 11           | 150       | 6              | —             | 16            | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-0644       | 626105-1020-200 | 10         | 187            | 11           | 200       | 6              | —             | 19            | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-0647       | 626107-1040-100 | —          | —              | 11           | 40        | —              | —             | 9             | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0648       | 626107-1050-100 | —          | —              | 11           | 50        | —              | —             | 10            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0649       | 626107-1060-100 | —          | —              | 11           | 60        | —              | —             | 11            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0650       | 626107-1080-100 | —          | —              | 11           | 80        | —              | —             | 12            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0651       | 626107-1090-100 | —          | —              | 11           | 90        | —              | —             | 13            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0652       | 626107-1100-100 | —          | —              | 11           | 100       | —              | —             | 14            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0653       | 626107-1180-100 | —          | —              | 11           | 180       | —              | —             | 19            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0654       | 626107-1200-100 | —          | —              | 11           | 200       | —              | —             | 21            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0655       | 626107-1250-100 | —          | —              | 11           | 250       | —              | —             | 24            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0656       | 626107-1400-100 | —          | —              | 11           | 400       | —              | —             | 34            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0657       | 626107-2050-100 | —          | —              | 20           | 50        | —              | —             | 28            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0658       | 626107-2060-100 | —          | —              | 20           | 60        | —              | —             | 29            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0659       | 626107-2100-100 | —          | —              | 20           | 100       | —              | —             | 34            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0660       | 626107-2120-100 | —          | —              | 20           | 120       | —              | —             | 37            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0661       | 626107-2150-100 | —          | —              | 20           | 150       | —              | —             | 41            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0662       | 626107-2180-100 | —          | —              | 20           | 180       | —              | —             | 45            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0663       | 626107-2200-100 | —          | —              | 20           | 200       | —              | —             | 48            | —         | —                   | —                   | —          | —          | —          | 32          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-0664       | 626107-2300-100 | —          | —              | 20           | 300       | —              | —             | 62            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0665       | 626107-2400-100 | —          | —              | 20           | 400       | —              | —             | 75            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0667       | 626107-2500-100 | —          | —              | 20           | 500       | —              | —             | 89            | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0668       | 626107-2600-100 | —          | —              | 20           | 600       | —              | —             | 103           | —         | —                   | —                   | —          | —          | —          | 32          |
| A-5555-0671       | —               | —          | —              | 20           | 50        | —              | —             | 33.3          | —         | —                   | —                   | —          | —          | —          | 33          |
| A-5555-0686       | 626115-0250-034 | 2.5        | 25             | 11           | 34        | 1.5            | —             | 7             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-0699       | 626107-2025-130 | —          | 66.5           | 20           | 25        | —              | 15            | 60            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-0700       | 626107-2080-130 | —          | 121.5          | 20           | 80        | —              | 15            | 68            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-0701       | 626107-2150-130 | —          | 191.5          | 20           | 150       | —              | 15            | 77            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-0713       | —               | —          | —              | 11           | 29        | —              | —             | 13            | —         | —                   | —                   | —          | —          | —          | 26          |
| A-5555-0720       | 626105-0821-063 | 8          | 50.5           | 11           | 63.5      | 6              | —             | 7             | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-0730       | 626105-0300-050 | 3          | 40             | 11           | 50        | 2              | —             | 4.5           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-0731       | 626105-0400-064 | 4          | 54             | 11           | 64        | 2              | —             | 4.6           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-0732       | 626105-0510-050 | 5          | 40             | 11           | 50        | 3.5            | —             | 4.8           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-0733       | 626105-0610-054 | 6          | 44             | 11           | 54        | 3.5            | —             | 4.9           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-0734       | 626105-0710-055 | 7          | 45             | 11           | 55        | 3.5            | —             | 4.9           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-0735       | 626105-0510-075 | 5          | 65             | 11           | 75        | 3.5            | —             | 5             | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-0799       | 626115-0140-033 | 1.35       | 23.85          | 11           | 32.85     | 1              | —             | 6             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-0805       | —               | 5          | 20             | 11           | 30        | 3.5            | —             | 8             | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0946       | —               | 8          | 137            | 11           | 150       | 6              | —             | 60            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-0950       | 000000-1251-674 | —          | —              | 11           | 30        | —              | —             | 12.1          | —         | —                   | —                   | —          | —          | —          | 31          |
| A-5555-0952       | —               | 2          | 30             | 11           | 40        | 1.5            | —             | 7             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-0965       | —               | 1.5        | 7.0/24.0       | 11           | 33        | 1.0/1.5        | —             | 7             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-0974       | —               | 4          | 20             | 11           | 30        | 2              | —             | 4.4           | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-1027       | 626105-1020-065 | 10         | 52.5           | 11           | 65.5      | 6              | —             | 8             | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-1054       | —               | 1          | 5.0/15.0       | 11           | 25        | 0.8/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-1060       | —               | 2          | 20             | 11           | 30        | 1.5            | —             | 7             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-1065       | 626105-0511-100 | 5          | 90             | 11           | 100       | 3.5            | —             | 5.4           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-1077       | —               | 2          | 10             | 11           | 20        | 1              | —             | 6             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-1093       | —               | —          | —              | 11           | 51        | —              | —             | 19            | —         | —                   | —                   | —          | —          | —          | 27          |
| A-5555-1095       | 000000-1120-407 | 0.6        | 4.6/12.0       | 11           | 32        | 0.4/1.0        | —             | 6.5           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-1097       | 626105-6901-001 | —          | 17             | 11           | 22.5      | —              | —             | 6             | —         | —                   | —                   | —          | —          | —          | 22          |
| A-5555-1101       | —               | 0.5        | 2.5/13.5       | 3            | 18        | 0.3/1.0        | —             | 0.4           | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-1112       | 626105-0820-200 | 8          | 187            | 11           | 200       | 6              | —             | 13            | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-1114       | 626103-0501-075 | 5          | 66             | 5            | 75        | 3.5            | —             | 1.8           | —         | —                   | —                   | —          | —          | —          | 43          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-1115       | 626103-0600-100 | 6          | 91             | 5            | 100       | 3.5            | —             | 2.4           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-1118       | —               | 6          | 42             | 4            | 50        | 2              | —             | 3.2           | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-1135       | —               | 0.8        | 30             | 11           | 40        | 0.6/4.0        | —             | 9             | 8         | —                   | —                   | —          | —          | —          | 25          |
| A-5555-1141       | —               | 0.2        | 2.3            | —            | 15.2      | 0.18/1.0       | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-1153       | —               | 0.6        | 30             | 11           | 40        | 0.4/4.0        | —             | 9             | 8         | —                   | —                   | —          | —          | —          | 25          |
| A-5555-1157       | 626115-0050-022 | 0.5        | 2.5/13.0       | 11           | 22        | 0.3/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-1169       | 626105-0821-150 | 8          | 137            | 11           | 150       | 6              | —             | 11            | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-1171       | 626105-1021-200 | 10         | 187            | 11           | 200       | 6              | —             | 19            | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-1179       | 626105-0821-200 | 8          | 187            | 11           | 200       | 6              | —             | 13            | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-1235       | 620161-8055-000 | —          | —              | —            | —         | —              | —             | —             | —         | —                   | —                   | —          | —          | —          | 49          |
| A-5555-1236       | 620161-8058-000 | —          | —              | —            | —         | —              | —             | —             | —         | —                   | —                   | —          | —          | —          | 49          |
| A-5555-1237       | 620161-8065-000 | —          | —              | —            | 75        | —              | —             | 5.4           | —         | —                   | —                   | —          | —          | —          | 50          |
| A-5555-1238       | 620161-8068-000 | —          | —              | —            | 75        | —              | —             | 5.4           | —         | —                   | —                   | —          | —          | —          | 50          |
| A-5555-1239       | 620161-8075-000 | —          | —              | —            | —         | —              | —             | —             | —         | —                   | —                   | —          | —          | —          | 50          |
| A-5555-1240       | 620161-8078-000 | —          | —              | —            | —         | —              | —             | —             | —         | —                   | —                   | —          | —          | —          | 51          |
| A-5555-1241       | 626103-8031-055 | —          | —              | —            | 55        | —              | —             | 6.3           | —         | —                   | —                   | —          | —          | —          | 49          |
| A-5555-1242       | 626103-8033-055 | —          | —              | —            | 55        | —              | —             | 6.3           | —         | —                   | —                   | —          | —          | —          | 51          |
| A-5555-1245       | 626115-5000-199 | —          | —              | 11           | 10        | 2              | —             | 3.2           | —         | —                   | —                   | —          | —          | —          | 21          |
| A-5555-1251       | 626103-0300-040 | 3          | 31             | 5            | 40        | 2              | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-1271       | —               | 5          | 90             | 11           | 100       | 3.5            | —             | 15            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-1273       | 626103-0302-020 | 3          | 11             | 5            | 20        | 2              | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 45          |
| A-5555-1274       | 626103-0302-030 | 3          | 21             | 5            | 30        | 2              | —             | 0.9           | —         | —                   | —                   | —          | —          | —          | 45          |
| A-5555-1275       | 626103-0302-040 | 3          | 31             | 5            | 40        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 45          |
| A-5555-1276       | 626103-5150-000 | —          | —              | 5            | 150       | —              | —             | 2.7           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-1277       | —               | 0.7        | 4.6            | —            | 15.7      | 0.4/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-1308       | —               | —          | —              | 3            | 35        | —              | —             | 1.8           | —         | —                   | —                   | —          | —          | —          | 66          |
| A-5555-1425       | —               | 3.5        | 85             | 11           | 100       | 2.5            | —             | 7             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-1478       | 626115-6110-001 | —          | —              | —            | —         | —              | 15            | 12.6          | —         | —                   | —                   | —          | —          | —          | 27          |
| A-5555-1495       | —               | 1          | 20             | 11           | 30        | 0.8            | —             | 6             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-1508       | —               | 3.5        | 48             | 11           | 58        | 2              | —             | 6             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-1551       | —               | —          | —              | —            | —         | —              | 15            | 13            | —         | —                   | —                   | —          | —          | —          | 28          |
| A-5555-1563       | —               | 2          | 15             | 11           | 25        | 1              | —             | 6             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-1618       | —               | 8          | 40             | 11           | 50        | 5              | —             | 24            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-1628       | 626115-1200-118 | 12         | 105            | 11           | 118       | 6              | —             | 49            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-1679       | —               | 1          | 5.0/10.0       | 11           | 20        | 0.8/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 7           |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-1773       | —               | 0.5        | 2.5/12.0       | 11           | 32        | 0.3/1.0        | —             | 6.5           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-1828       | 626105-0301-033 | 3          | 23.5           | 11           | 33.5      | 2              | —             | 4.2           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-1842       | 626115-0060-022 | 0.6        | 1.6/13.1       | 11           | 22.1      | 0.4/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-1843       | 626115-0100-022 | 1          | 5.0/13.5       | 11           | 22.5      | 0.8/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-1844       | 626115-0080-022 | 0.8        | 4.8/13.3       | 11           | 22.3      | 0.6/1.0        | —             | 6             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-1847       | 626105-0300-033 | 3          | 23.5           | 11           | 33.5      | 2              | —             | 4.2           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-1855       | 626107-2050-110 | —          | 96.5           | 20           | 50        | —              | 20            | 78            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1892       | 626115-6110-002 | —          | —              | —            | —         | —              | 15            | 13            | —         | —                   | —                   | —          | —          | —          | 28          |
| A-5555-1916       | 626105-0300-025 | 3          | 15             | 11           | 25        | 2              | —             | 4             | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-1917       | 626105-0400-033 | 4          | 23.5           | 11           | 33.5      | 2              | —             | 4.2           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-1918       | 626105-0820-100 | 8          | 87             | 11           | 100       | 6              | —             | 7.5           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-1937       | 626107-2150-110 | —          | 196.5          | 20           | 150       | —              | 20            | 91            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1938       | 626107-2120-110 | —          | 166.5          | 20           | 120       | —              | 20            | 86            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1947       | 626103-5025-000 | —          | —              | 5            | 25        | —              | —             | 1.25          | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-1948       | 626103-5075-000 | —          | —              | 5            | 75        | —              | —             | 1.7           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-1979       | 626107-2025-110 | —          | 71.5           | 20           | 25        | —              | 20            | 74            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1980       | 626107-2040-110 | —          | 86.5           | 20           | 40        | —              | 20            | 76            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1981       | 626107-2060-110 | —          | 106.5          | 20           | 60        | —              | 20            | 80            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1982       | 626107-2080-110 | —          | 126.5          | 20           | 80        | —              | 20            | 82            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1983       | 626107-2100-110 | —          | 146.5          | 20           | 100       | —              | 20            | 84            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1984       | 626107-2200-110 | —          | 246.5          | 20           | 200       | —              | 20            | 98            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1985       | 626107-2040-130 | —          | 81.5           | 20           | 40        | —              | 15            | 62            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1986       | 626107-2050-130 | —          | 91.5           | 20           | 50        | —              | 15            | 64            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1987       | 626107-2060-130 | —          | 101.5          | 20           | 60        | —              | 15            | 64            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1988       | 626107-2100-130 | —          | 141.5          | 20           | 100       | —              | 15            | 70            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1989       | 626107-2120-130 | —          | 161.5          | 20           | 120       | —              | 15            | 72            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-1990       | 626107-2200-130 | —          | 241.5          | 20           | 200       | —              | 15            | 84            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-2012       | 626105-0511-075 | 5          | 65             | 11           | 75        | 3.5            | —             | 5             | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-2013       | —               | 5          | 43             | 11           | 53        | 3.5            | —             | 4.9           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-2033       | 626103-0501-030 | 5          | 21             | 5            | 30        | 3.5            | —             | 1.1           | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5555-2144       | —               | 15         | 52.5           | 11           | 65.5      | 6              | —             | 29            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-2270       | —               | 15         | 105            | 11           | 118       | 6              | —             | 50            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-2388       | —               | 1          | 10             | 11           | 20        | 0.8            | —             | 6             | —         | —                   | —                   | —          | —          | —          | 7           |
| A-5555-2389       | —               | 10         | 137            | 11           | 150       | 6              | —             | 62            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-2390       | —               | 10         | 175            | 11           | 200       | 6              | —             | 75            | —         | —                   | —                   | —          | —          | —          | 8           |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-2391       | —               | 12         | 52             | 11           | 65.5      | 6              | —             | 28            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-2392       | —               | 12         | 175            | 11           | 200       | 6              | —             | 76            | —         | —                   | —                   | —          | —          | —          | 8           |
| A-5555-2394       | 000000-1078-483 | 3          | 23.5           | 11           | 33.5      | 2              | —             | 4.5           | —         | —                   | —                   | —          | —          | —          | 9           |
| A-5555-2395       | 612030-9649-000 | 8          | 50.5           | 11           | 63.5      | 6              | —             | 25            | —         | —                   | —                   | —          | —          | —          | 9           |
| A-5555-2396       | 626105-0401-064 | 4          | 54             | 11           | 64        | 2              | —             | 4.6           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-2397       | —               | 5          | 43             | 11           | 53        | 3.5            | —             | 4.9           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-2398       | —               | 6          | 44             | 11           | 54        | 3.5            | —             | 4.9           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-2399       | —               | 7          | 45             | 11           | 55.5      | 3.5            | —             | 4.9           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-2400       | —               | 8          | 62             | 11           | 75        | 6              | —             | 7.3           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-2402       | —               | 9          | 51.5           | 11           | 64.5      | 6              | —             | 7.2           | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-2403       | 626105-1021-065 | 10         | 52.5           | 11           | 65.5      | 6              | —             | 8             | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-2404       | —               | 0.2        | 2.3/12.0       | 11           | 32        | 0.18/1.0       | —             | 6.5           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-2405       | —               | 0.25       | 2.3/12.0       | 11           | 32        | 0.18/1.0       | —             | 6.5           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-2407       | —               | 0.3        | 2.3/12.0       | 11           | 32        | 0.2/1.0        | —             | 6.5           | —         | —                   | —                   | —          | —          | —          | 15          |
| A-5555-2408       | —               | 3          | 16.5           | 11           | 25.5      | 2              | —             | 7             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-2409       | —               | 5          | 25.5           | 11           | 34.5      | 3.5            | —             | 9             | —         | —                   | —                   | —          | —          | —          | 17          |
| A-5555-2410       | —               | 0.25       | 2.35           | —            | 15.25     | 0.18/1.0       | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-2411       | —               | 0.4        | 2.5            | —            | 15.4      | 0.3/1.0        | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-2412       | —               | 2          | —              | —            | 27        | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-2413       | —               | 2.5        | —              | —            | 27.5      | 1              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 20          |
| A-5555-2415       | 632001-8209-000 | 10         | 55             | 11           | 65        | 3.5/5.5        | 1             | 11            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2416       | 626115-1505-065 | 15         | 55             | 11           | 65        | 3.5/5.5        | 1             | 18            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2417       | 632001-8207-000 | 20         | 55             | 11           | 65        | 3.5/5.5        | 1             | 19            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2418       | 632001-8208-000 | 25         | 55             | 11           | 65        | 3.5/10.0       | 2             | 22            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2419       | 632001-8210-000 | 30         | 55             | 11           | 65        | 3.5/10.0       | 2             | 39            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2420       | 632001-8213-000 | 40         | 55             | 11           | 65        | 3.5/10.0       | 2             | 57            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2421       | 000000-1019-819 | 10         | 55             | 11           | 65        | 3.5/5.5        | 2             | 17            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2422       | 000000-1019-820 | 15         | 55             | 11           | 65        | 3.5/5.5        | 2             | 20            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2423       | 000000-1019-822 | 20         | 55             | 11           | 65        | 3.5/5.5        | 2             | 25            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2424       | 000000-1019-824 | 25         | 55             | 11           | 65        | 3.5/10.0       | 2             | 32            | —         | —                   | —                   | —          | —          | —          | 23          |
| A-5555-2425       | —               | —          | —              | —            | —         | 87.5           | 15            | 13            | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2426       | —               | —          | —              | —            | —         | 85             | 15            | 13.4          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2427       | —               | —          | —              | —            | —         | 82.5           | 15            | 13.8          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2428       | —               | —          | —              | —            | —         | 80             | 15            | 14.2          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2429       | —               | —          | —              | —            | —         | 77.5           | 15            | 14.6          | —         | —                   | —                   | —          | —          | —          | 29          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-2430       | —               | —          | —              | —            | —         | 75             | 15            | 15            | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2431       | —               | —          | —              | —            | —         | 72.5           | 15            | 15.4          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2432       | —               | —          | —              | —            | —         | 70             | 15            | 15.8          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2433       | —               | —          | —              | —            | —         | 67.5           | 15            | 16.2          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2434       | —               | —          | —              | —            | —         | 65             | 15            | 16.6          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2435       | —               | —          | —              | —            | —         | 62.5           | 15            | 17            | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2436       | —               | —          | —              | —            | —         | 60             | 15            | 17.4          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2437       | —               | —          | —              | —            | —         | 57.5           | 15            | 17.8          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2438       | —               | —          | —              | —            | —         | 55             | 15            | 18.2          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2439       | —               | —          | —              | —            | —         | 52.5           | 15            | 18.6          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2440       | —               | —          | —              | —            | —         | 50             | 15            | 19            | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2441       | —               | —          | —              | —            | —         | 47.5           | 15            | 19.4          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2442       | —               | —          | —              | —            | —         | 45             | 15            | 19.8          | —         | —                   | —                   | —          | —          | —          | 29          |
| A-5555-2443       | —               | —          | —              | —            | —         | —              | —             | —             | —         | —                   | —                   | —          | —          | —          | 37          |
| A-5555-2444       | —               | 5          | 25.5           | 11           | 34.5      | 3.5            | —             | 9             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-2445       | 626103-0311-030 | 3          | 21             | 5            | 30        | 2              | —             | 0.75          | —         | —                   | —                   | —          | —          | —          | 45          |
| A-5555-2446       | —               | 0.2        | 2.3/9.0        | 4            | 22        | 0.18/1.0       | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-2447       | —               | 0.25       | 2.3/9.0        | 4            | 22        | 0.18/1.0       | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-2448       | —               | 2          | 34             | 4            | 40        | 1.5            | —             | 1             | —         | —                   | —                   | —          | —          | —          | 55          |
| A-5555-2449       | —               | 4          | 22             | 4            | 30        | 2              | —             | 2             | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-2450       | —               | 5          | 22             | 4            | 30        | 2              | —             | 2.1           | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-2451       | —               | 5          | 32             | 4            | 40        | 2              | —             | 2             | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-2452       | —               | 5          | 42             | 4            | 50        | 2              | —             | 3             | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-2453       | —               | 5          | 52             | 4            | 60        | 2              | —             | 3.5           | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-2454       | —               | 6          | 22             | 4            | 30        | 2              | —             | 2.3           | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-2455       | —               | 8          | 18.5           | 4            | 31.5      | 2              | —             | 1.3           | —         | —                   | —                   | —          | —          | —          | 56          |
| A-5555-2456       | —               | —          | —              | 4            | 30        | 1.5            | —             | 2.9           | —         | —                   | —                   | —          | —          | —          | 58          |
| A-5555-2457       | 000000-1049-178 | —          | —              | 4            | 7         | —              | —             | 0.5           | —         | —                   | M2/M3               | —          | —          | —          | 59          |
| A-5555-2458       | 000000-0015-247 | —          | —              | —            | —         | —              | 3             | —             | —         | —                   | —                   | —          | —          | —          | 60          |
| A-5555-2459       | 000000-0015-248 | —          | —              | —            | —         | —              | 4             | —             | —         | —                   | —                   | —          | —          | —          | 60          |
| A-5555-2460       | —               | —          | —              | —            | —         | —              | 5             | —             | —         | —                   | —                   | —          | —          | —          | 60          |
| A-5555-2461       | —               | —          | —              | —            | —         | —              | 10            | —             | —         | —                   | —                   | —          | —          | —          | 60          |
| A-5555-2462       | —               | 0.25       | 2.3/12.5       | 3            | 17        | 0.18/1.0       | —             | 0.4           | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-2463       | —               | 1          | 5.0/14.0       | 3            | 18.5      | 0.8/1.0        | —             | 0.4           | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-2465       | —               | 2.5        | 6              | 3            | 12        | 1.5            | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-2466       | —               | 3          | 6              | 3            | 12        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-2467       | —               | 4          | 12             | 3            | 16        | 2              | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 62          |
| A-5555-2468       | —               | 4          | 30             | 3            | 36        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 62          |
| A-5555-2469       | —               | 5          | 10             | 3            | 14        | 2              | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 62          |
| A-5555-2470       | —               | 5          | 32             | 3            | 38        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 62          |
| A-5555-2471       | —               | 4          | 32             | 3            | 32        | 3              | —             | 1.7           | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-2472       | —               | 4          | 42             | 3            | 42        | 3              | —             | 2.4           | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-2473       | —               | 4          | 52             | 3            | 52        | 3              | —             | 2.9           | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-2474       | —               | 5          | 22             | 3            | 22        | 3              | —             | 1.3           | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-2475       | —               | 5          | 32             | 3            | 32        | 3              | —             | 1.9           | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-2476       | —               | 5          | 42.5           | 3            | 42.5      | 3              | —             | 2.5           | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-2477       | —               | 5          | 52.5           | 3            | 52.5      | 3              | —             | 3.1           | —         | —                   | —                   | —          | —          | —          | 63          |
| A-5555-2478       | —               | —          | —              | 3            | 30        | 1              | —             | 2.9           | —         | —                   | —                   | —          | —          | —          | 67          |
| A-5555-2479       | —               | —          | —              | 3            | 30        | 1.5            | —             | 2.9           | —         | —                   | —                   | —          | —          | —          | 67          |
| A-5555-2481       | —               | —          | —              | 3            | 50        | —              | —             | 2.7           | —         | —                   | —                   | —          | —          | —          | 66          |
| A-5555-3734       | 626115-0300-058 | 3          | 48             | 11           | 58        | 2              | —             | 5.5           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3740       | —               | —          | 191.5          | 11           | 150       | —              | 15            | 77            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-3777       | —               | 1          | 5.0/10.0       | 11           | 20        | 0.8/1.0        | —             | 3.5           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3778       | —               | 1          | 5.0/15.0       | 11           | 25        | 0.8/1.0        | —             | 3.5           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3779       | —               | 1          | 5.0/20.0       | 11           | 30        | 0.8/1.0        | —             | 3.5           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3780       | —               | 1.5        | 8.0/20.0       | 11           | 30        | 1.0/1.5        | —             | 3.5           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3781       | —               | 2          | 10             | 11           | 20        | 1              | —             | 3.5           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3782       | —               | 2          | 15             | 11           | 25        | 1              | —             | 3.5           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3783       | —               | 2          | 20             | 11           | 30        | 1.5            | —             | 3.8           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3784       | —               | 2          | 30             | 11           | 40        | 1.5            | —             | 4             | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3785       | 626115-0303-025 | 3          | 15             | 11           | 25        | 2              | —             | 4             | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3786       | —               | 3          | 23.5           | 11           | 33.5      | 2              | —             | 4.5           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3787       | 626115-0302-050 | 3          | 40             | 11           | 50        | 2              | —             | 5.3           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3788       | 626115-0400-034 | 4          | 23.5           | 11           | 33.5      | 2              | —             | 4.5           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3789       | —               | 4          | 54             | 11           | 64        | 2              | —             | 5.9           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3790       | —               | 5          | 20             | 11           | 30        | 3.5            | —             | 8             | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3791       | 626115-0501-050 | 5          | 40             | 11           | 50        | 3.5            | —             | 9             | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3792       | —               | 5          | 43             | 11           | 53        | 3.5            | —             | 9.8           | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3793       | 626115-0500-075 | 5          | 65             | 11           | 75        | 3.5            | —             | 12.5          | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3794       | 626115-0501-100 | 5          | 90             | 11           | 100       | 3.5            | —             | 18            | —         | —                   | —                   | —          | —          | —          | 10          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-3795       | —               | 6          | 44             | 11           | 54        | 3.5            | —             | 10            | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3796       | —               | 7          | 45             | 11           | 55        | 3.5            | —             | 10            | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3797       | 626115-0800-064 | 8          | 50.5           | 11           | 63.5      | 6              | —             | 36.6          | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3798       | 626115-0800-075 | 8          | 62             | 11           | 75        | 6              | —             | 29.4          | —         | —                   | —                   | —          | —          | —          | 10          |
| A-5555-3799       | —               | 8          | 87             | 11           | 100       | 6              | —             | 39.9          | —         | —                   | —                   | —          | —          | —          | 11          |
| A-5555-3800       | 626115-0800-115 | 8          | 101.5          | 11           | 114.5     | 6              | —             | 45.7          | —         | —                   | —                   | —          | —          | —          | 11          |
| A-5555-3801       | —               | 9          | 51.5           | 11           | 64.5      | 6              | —             | 26.3          | —         | —                   | —                   | —          | —          | —          | 11          |
| A-5555-3802       | —               | 10         | 52.5           | 11           | 65.5      | 6              | —             | 25.8          | —         | —                   | —                   | —          | —          | —          | 11          |
| A-5555-3803       | —               | 10         | 105            | 11           | 118       | 6              | —             | 47.3          | —         | —                   | —                   | —          | —          | —          | 11          |
| A-5555-3804       | —               | 10         | 135            | 11           | 150       | 6              | —             | 60            | —         | —                   | —                   | —          | —          | —          | 11          |
| A-5555-3805       | 600342-8023-010 | 8          | 50.5           | 11           | 63.5      | 6              | —             | 24.8          | —         | —                   | —                   | —          | —          | —          | 11          |
| A-5555-3806       | 626105-0300-058 | 3          | 48             | 11           | 58        | 2              | —             | 4.9           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-3807       | 626105-0820-063 | 8          | 50.5           | 11           | 63.5      | 6              | —             | 7             | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-3808       | 626105-0820-114 | 8          | 101.5          | 11           | 114.5     | 6              | —             | 9.5           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-3809       | —               | 9          | 51.5           | 11           | 64.5      | 6              | —             | 7.2           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-3812       | 626105-0301-025 | 3          | 15             | 11           | 25        | 2              | —             | 4             | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-3813       | 626105-0301-050 | 3          | 40             | 11           | 50        | 2              | —             | 4.5           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-3814       | 626105-0301-058 | 3          | 48             | 11           | 58        | 2              | —             | 4.9           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-3815       | 626105-0301-033 | 4          | 23.5           | 11           | 33.5      | 2              | —             | 4.2           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-3817       | 626105-0511-050 | 5          | 40             | 11           | 50        | 3.5            | —             | 4.8           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-3820       | 626105-0821-100 | 8          | 87             | 11           | 100       | 6              | —             | 7.5           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-3821       | 626105-0821-114 | 8          | 101.5          | 11           | 114.5     | 6              | —             | 9.5           | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-3824       | 626105-1021-118 | 10         | 105            | 11           | 118       | 6              | —             | 14.5          | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-3825       | 626105-1021-150 | 10         | 137            | 11           | 150       | 6              | —             | 16            | —         | —                   | —                   | —          | —          | —          | 14          |
| A-5555-3826       | —               | 2          | 24.5           | 11           | 33.5      | 1              | —             | 7             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-3827       | —               | 2.5        | 25             | 11           | 34        | 1              | —             | 7             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-3828       | —               | 3          | 16.5           | 11           | 25.5      | 2              | —             | 9             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-3839       | —               | 1          | 30             | 11           | 40        | 0.8/4.0        | —             | 9             | 8         | —                   | —                   | —          | —          | —          | 25          |
| A-5555-3841       | —               | —          | —              | 18           | 58        | —              | —             | 58            | —         | —                   | —                   | —          | —          | —          | 27          |
| A-5555-3842       | —               | 15         | —              | 24           | 130       | —              | —             | —             | —         | —                   | —                   | —          | —          | 22         | 36          |
| A-5555-3843       | —               | 20         | —              | 24           | 135       | —              | —             | —             | —         | —                   | —                   | —          | —          | 22         | 36          |
| A-5555-3844       | —               | 25         | —              | 24           | 140       | —              | —             | —             | —         | —                   | —                   | —          | —          | 22         | 36          |
| A-5555-3845       | —               | —          | 66.5           | 11           | 25        | —              | 15            | 60            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-3846       | —               | —          | 81.5           | 11           | 40        | —              | 15            | 62            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-3847       | —               | —          | 91.5           | 11           | 50        | —              | 15            | 64            | —         | —                   | —                   | —          | —          | —          | 40          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-3848       | —               | —          | 101.5          | 11           | 60        | —              | 15            | 66            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-3849       | —               | —          | 121.5          | 11           | 80        | —              | 15            | 68            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-3850       | —               | —          | 141.5          | 11           | 100       | —              | 15            | 70            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-3851       | —               | —          | 161.5          | 11           | 120       | —              | 15            | 72            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-3852       | —               | —          | 241.5          | 11           | 200       | —              | 15            | 84            | —         | —                   | —                   | —          | —          | —          | 40          |
| A-5555-3853       | 626113-0060-014 | 0.6        | 4.6/5.0        | 5            | 14        | 0.4/1.0        | —             | 0.61          | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5555-3854       | 626113-0101-020 | 1          | 5.1/11         | 5            | 20        | 0.6/1.0        | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5555-3855       | 626113-0201-040 | 2          | 31             | 5            | 40        | 1.5            | —             | 1.7           | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5555-3856       | 626113-0250-020 | 2.5        | 11             | 5            | 20        | 1.5            | —             | 1             | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5555-3857       | 626113-0250-030 | 2.5        | 21             | 5            | 30        | 1.5            | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5555-3858       | 626103-0501-050 | 5          | 41             | 5            | 50        | 3.5            | —             | 1.4           | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5555-3859       | 626103-0300-025 | 3          | 16             | 5            | 25        | 2              | —             | 0.65          | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3860       | 626103-0300-058 | 3          | 49             | 5            | 58        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3861       | 626103-0300-059 | 3          | 50             | 5            | 59        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3862       | 626103-0300-075 | 3          | 66             | 5            | 75        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3863       | 626103-0500-040 | 5          | 31             | 5            | 40        | 3.5            | —             | 1.2           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3864       | 626103-0500-060 | 5          | 51             | 5            | 60        | 3.5            | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3865       | 626103-0610-070 | 6          | 61             | 5            | 70        | 3.5            | —             | 1.8           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3866       | 626103-0800-030 | 8          | 30             | 5            | 30        | 5              | —             | 1.86          | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3867       | 626103-0830-050 | 8          | 50             | 5            | 50        | 5              | —             | 2.1           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3868       | 626103-0830-070 | 8          | 70             | 5            | 70        | 5              | —             | 2.6           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3869       | 626103-0830-100 | 8          | 100            | 5            | 100       | 5              | —             | 2.7           | —         | —                   | —                   | —          | —          | —          | 43          |
| A-5555-3870       | 626103-0301-033 | 3          | 24             | 5            | 33        | 2              | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 44          |
| A-5555-3871       | 626103-0301-050 | 3          | 41             | 5            | 50        | 2              | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 44          |
| A-5555-3872       | 626103-0502-050 | 5          | 41             | 5            | 50        | 3.5            | —             | 1.4           | —         | —                   | —                   | —          | —          | —          | 44          |
| A-5555-3874       | 626103-0801-125 | 8          | 125            | 5            | 125       | 5              | —             | 2.9           | —         | —                   | —                   | —          | —          | —          | 44          |
| A-5555-3875       | 626103-0301-020 | 3          | 11             | 5            | 20        | 2              | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 44          |
| A-5555-3876       | 626103-0301-030 | 3          | 21             | 5            | 30        | 2              | —             | 0.75          | —         | —                   | —                   | —          | —          | —          | 44          |
| A-5555-3877       | 626103-0311-020 | 3          | 11             | 5            | 20        | 2              | —             | 0.7           | —         | —                   | —                   | —          | —          | —          | 45          |
| A-5555-3880       | 626103-0312-020 | 3          | 11             | 5            | 20        | 2              | —             | 0.8           | —         | —                   | —                   | —          | —          | —          | 46          |
| A-5555-3881       | 626103-0312-030 | 3          | 21             | 5            | 30        | 2              | —             | 0.9           | —         | —                   | —                   | —          | —          | —          | 46          |
| A-5555-3882       | 626103-0303-020 | 3          | 11             | 5            | 20        | 2              | —             | 1.4           | —         | —                   | —                   | —          | —          | —          | 46          |
| A-5555-3883       | 626103-0303-030 | 3          | 21             | 5            | 30        | 2              | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 46          |
| A-5555-3884       | 626103-0313-020 | 3          | 11             | 5            | 20        | 2              | —             | 1.4           | —         | —                   | —                   | —          | —          | —          | 47          |
| A-5555-3885       | 626103-0313-030 | 3          | 21             | 5            | 30        | 2              | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 47          |

| Renishaw part no. | ZEISS part no.  | DK<br>(mm) | ML1/ML<br>(mm) | DG/D<br>(mm) | L<br>(mm) | DS1/DS<br>(mm) | EAL/B<br>(mm) | Weight<br>(g) | A<br>(mm) | Thread/bore<br>(mm) | Thread<br>(from/to) | MB<br>(mm) | G1<br>(mm) | SW<br>(mm) | Page<br>no. |
|-------------------|-----------------|------------|----------------|--------------|-----------|----------------|---------------|---------------|-----------|---------------------|---------------------|------------|------------|------------|-------------|
| A-5555-3886       | 626103-0313-040 | 3          | 31             | 5            | 40        | 2              | —             | 1.6           | —         | —                   | —                   | —          | —          | —          | 47          |
| A-5555-3887       | 626103-0304-020 | 3          | 11             | 5            | 20        | 2              | —             | 1.4           | —         | —                   | —                   | —          | —          | —          | 47          |
| A-5555-3888       | 626103-0304-030 | 3          | 21             | 5            | 30        | 2              | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 47          |
| A-5555-3889       | 626103-0314-020 | 3          | 11             | 5            | 20        | 2              | —             | 1.4           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-3890       | 626103-0314-030 | 3          | 21             | 5            | 30        | 2              | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-3891       | 626103-0314-040 | 3          | 31             | 5            | 40        | 2              | —             | 1.6           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-3892       | 626103-5020-000 | —          | —              | 5            | 20        | —              | —             | 1.2           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-3893       | 626103-5040-000 | —          | —              | 5            | 40        | —              | —             | 1.4           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-3894       | 626103-5060-000 | —          | —              | 5            | 60        | —              | —             | 1.7           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-3895       | 626103-5130-000 | —          | —              | 5            | 130       | —              | —             | 2.5           | —         | —                   | —                   | —          | —          | —          | 48          |
| A-5555-3896       | 626103-6110-002 | —          | —              | —            | 13        | —              | 5             | 1.05          | —         | —                   | —                   | —          | —          | —          | 52          |
| A-5555-3898       | 626103-6110-006 | —          | —              | 12           | —         | —              | 5             | 1.79          | —         | —                   | —                   | —          | —          | —          | 53          |
| A-5555-3899       | 626103-6110-007 | —          | —              | 14           | —         | —              | 5             | 2.31          | —         | —                   | —                   | —          | —          | —          | 53          |
| A-5555-3900       | —               | —          | —              | —            | —         | —              | —             | 72            | —         | —                   | —                   | —          | —          | —          | 39          |
| A-5555-3901       | 626103-0312-040 | 3          | 31             | 5            | 40        | 2              | —             | 1             | —         | —                   | —                   | —          | —          | —          | 46          |
| A-5555-3949       | 000000-1073-344 | 5          | 95             | 11           | 105       | 3.5            | —             | 15            | —         | —                   | —                   | —          | —          | —          | 9           |
| A-5555-3997       | 626105-0820-075 | 8          | 62             | 11           | 75        | 6              | —             | 7.3           | —         | —                   | —                   | —          | —          | —          | 12          |
| A-5555-3998       | 626105-1020-118 | 10         | 105            | 11           | 118       | 6              | —             | 14.5          | —         | —                   | —                   | —          | —          | —          | 13          |
| A-5555-3999       | —               | 0.5        | 3.5            | 11           | 40        | 0.4            | 1.9           | 7             | —         | —                   | —                   | —          | —          | —          | 24          |
| A-5555-9159       | —               | 0.3        | 2.3/13.5       | 3            | 18        | 0.2/1.0        | —             | 0.4           | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-9161       | —               | 0.6        | 4.6/13.8       | 3            | 18.3      | 0.4/1.0        | —             | 0.4           | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-9162       | —               | 0.8        | 4.8/13.8       | 3            | 18.3      | 0.6/1.0        | —             | 0.4           | —         | —                   | —                   | —          | —          | —          | 61          |
| A-5555-9325       | 626115-0200-034 | 2          | 24.5           | 11           | 33.5      | 1.5            | —             | 7             | —         | —                   | —                   | —          | —          | —          | 18          |
| A-5555-9339       | 626113-0151-030 | 1.5        | 21             | 5            | 30        | 1              | —             | 0.84          | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5555-9340       | 626113-0150-030 | 1.5        | 22.5           | 5            | 30        | 1              | —             | 0.9           | —         | —                   | —                   | —          | —          | —          | 42          |
| A-5555-9341       | 626113-0100-040 | 1          | 5.0/31         | 5            | 40        | 0.8/1.0        | —             | 1.5           | —         | —                   | —                   | —          | —          | —          | 41          |
| A-5555-9361       | 626105-0820-150 | 8          | 137            | 11           | 150       | 6              | —             | 11            | —         | —                   | —                   | —          | —          | —          | 12          |

[www.renishaw.com/contact](http://www.renishaw.com/contact)

 #renishaw

 **+44 (0) 1453 524524**  **UK@renishaw.com**

© 2004–2023 Renishaw plc. All rights reserved. This document may not be copied or reproduced in whole or in part, or transferred to any other media or language by any means, without the prior written permission of Renishaw.  
RENISHAW® and the probe symbol are registered trade marks of Renishaw plc. Renishaw product names, designations and the mark 'apply innovation' are trade marks of Renishaw plc or its subsidiaries. Other brand, product or company names are trade marks of their respective owners.  
Renishaw plc. Registered in England and Wales. Company no: 1106260. Registered office: New Mills, Wotton-under-Edge, Glos, GL12 8JR, UK.

WHILE CONSIDERABLE EFFORT WAS MADE TO VERIFY THE ACCURACY OF THIS DOCUMENT AT PUBLICATION, ALL WARRANTIES, CONDITIONS, REPRESENTATIONS AND LIABILITY, HOWSOEVER ARISING, ARE EXCLUDED TO THE EXTENT PERMITTED BY LAW. RENISHAW RESERVES THE RIGHT TO MAKE CHANGES TO THIS DOCUMENT AND TO THE EQUIPMENT, AND/OR SOFTWARE AND THE SPECIFICATION DESCRIBED HEREIN WITHOUT OBLIGATION TO PROVIDE NOTICE OF SUCH CHANGES.

Part no.: H-1000-3036-06-A  
Issued: 06.2023